ELSEVIER

Ultrasonics 40 (2002) 1081–1091

Ultrasonics

www.elsevier.com/locate/ultras

Author Index to Volumes 39–40

Acevedo, P. and Das-Gupta, D.
The measurement of the spatial average temporal average intensity I_{sata} and ultrasonic power W in composite ultrasonic transducers for medical application 819 (40)
Achenbach, J.D.
Modeling for quantitative non-destructive evaluation 1 (40)
Acosta-Aparicio, V.M., see Gallego-Juárez, J.A. 889 (40)
Adams, M.J., see Huang, Z. 43 (40)
Addison Jr., R.C., see McKie, A.D.W. 1037 (40)
Agostini, V., see Delsanto, P.P. 605 (40)
Aime, J.-C., see Laguerre, L. 503 (39)
Akhnak, M., Martinez, O., Ullate, L.G. and Montero de Espinosa, F.
64 Elements two-dimensional piezoelectric array for 3D imaging 139 (40)
Akimoto, T., see Matsukawa, M. 323 (40)
Aldis, G.K., see Thompson, R.S. 703 (39), 835 (40)
Al-Majed, A.A., see Khan, M.A. 321 (39)
Álvarez-Arenas, T.E.G., Segura, L.E. and de Sarabia, E.R.F.
Characterization of suspensions of particles in water by an ultrasonic resonant cell 715 (39)
Anaya, J.J., see Hernández, M.G. 217 (40)
Anttila, J., see Pettersson, T. 617 (39)
Anugonda, P., Wiehn, J.S. and Turner, J.A.
Diffusion of ultrasound in concrete 429 (39)
Arai, K., see Nomura, H. 313 (40)
Aristégui, C., Lowe, M.J.S. and Cawley, P.
Guided waves in fluid-filled pipes surrounded by different fluids 367 (39)
Arnold, F.J. and Mühlen, S.S.
The resonance frequencies on mechanically pre-stressed ultrasonic piezotransducers 1 (39)
Arnold, F.J. and Mühlen, S.S.
The mechanical pre-stressing in ultrasonic piezotransducers 7 (39)
Arnold, W., see Luxenburger, S. 797 (40)
Arnold, W., see Rabe, U. 49 (40)
Arzúa, A. and Negreira, C.
Detection of elements with coherent reflectivity inside a multiscatterers incoherent media 997 (40)
Assaad, J., see Cugnet, B. 503 (40)
Assentoft, J.E., Gregersen, H. and O'Brien Jr., W.D.
Propagation speed of sound assessment in the layers of the guinea-pig esophagus in vitro by means of acoustic microscopy 263 (39)
Audoin, B.
Non-destructive evaluation of composite materials with ultrasonic waves generated and detected by lasers 735 (40)
Ayrault, C., see Moussatov, A. 195 (39)

Bacon, C., see Hosten, B. 419 (40)
Baek, K.-N., see Ko, W.-B. 729 (39)
Ballad, E.M., see Korshak, B.A. 707 (40)
Bamberger, J.A., see Greenwood, M.S. 623 (39), 413 (40)
Barannik, E.A., Girnyk, A., Tovstiak, V., Marusenko, A.I., Emelianov, S.Y. and Sarvazyan, A.P.
Doppler ultrasound detection of shear waves remotely induced in tissue phantoms and tissue in vitro 849 (40)
Barannik, E.A.
Pulsed Doppler flow-line spectrum for focused transducers with apodized apertures 311 (39)
Barauskas, R., see Kažys, R. 853 (40)
Baruzzi, M., see Caliano, G. 449 (40)
Bastien, F., see Scortesse, J. 349 (40)
Basude, R. and Wheatley, M.A.
Generation of ultraharmonics in surfactant based ultrasound contrast agents—use and advantages 437 (39)
Bathen, D., see Breitbach, M. 679 (40)
Bauer, G.E.W., see Ferreira, M.S. 355 (40)
Behar, V.
Techniques for phase correction in coherent ultrasound imaging systems 603 (39)
Behrends, R., see Kaatze, U. 393 (39)
Belgroune, D., de Belleval, J.F. and Djelouah, H.
Modelling of the ultrasonic field by the angular spectrum method in presence of interface 297 (40)
Ben Amor, M., Rogé, B., Ben Ghozlen, M.H. and Lanceleur, P.
Influence of attenuation on the behavior of refracted elastic waves at the interface between anisotropic media 561 (40)
Benedito, J., Carcel, J.A., Gonzalez, R. and Mulet, A.
Application of low intensity ultrasonics to cheese manufacturing processes 19 (40)
Ben Ghozlen, M.H, see Ben Amor, M. 561 (40)
Bergman, R., see Levitsky, S. 703 (40)
Berman, L., see Prager, R. 109 (40)
Berman, L.H., see Carmo, B.S. 129 (40)
Berman, L.H., see Prager, R.W. 133 (40)
Beroni, C., see Mahaut, S. 165 (40)
Bertrand, M., see Souchon, R. 867 (40)
Billson, D.R., see Choi, D.W. 145 (40)
Billson, D.R., see Gan, T.H. 181 (39)
Billson, D.R., see McIntosh, J.S. 477 (40)
Billson, D.R., see Robertson, T.J. 479 (39)
Bjørnø, L.
Forty years of nonlinear ultrasound 11 (40)
Blachowicz, T., Kleszczewski, Z. and Skumiel, A.
Elastic constants of the $SrLaAlO_4$ and $SrLaGaO_4$ crystals measured at ultrasonic and hypersonic acoustic frequencies 611 (39)
Blomme, E., Bulcaen, D. and Declercq, F.
Recent observations with air-coupled NDE in the frequency range of 650 kHz to 1.2 MHz 153 (40)
Blouin, A., see Lévesque, D. 1057 (40)
Bormann, H., see Onyeche, T.I. 31 (40)

PII: S0041-624X(02)00427-4

Bormann, H., see Schläfer, O. 25 (40)
Borodina, I.A., see Zaitsev, B.D. 45 (39), 51 (39)
Bose, T.K., see Zellouf, D. 203 (39)
Bouakaz, A., Frigstad, S., Ten Cate, F.J. and de Jong, N.
Improved contrast to tissue ratio at higher harmonics 575 (40)
Bouakaz, A., see de Jong, N. 567 (40)
Bou Matar, O., see Callé, S. 873 (40)
Boutkedjirt, T. and Reibold, R.
Reconstruction of ultrasonic fields by deconvolving the hydrophone aperture effects. I. Theory and simulation 631 (39)
Boutkedjirt, T. and Reibold, R.
Reconstruction of ultrasonic fields by deconvolving the hydrophone aperture effects. II. Experiment 641 (39)
Brandt, T., see Jensen, M.S. 89 (40)
Breitbach, M., Bathen, D. and Schmidt-Traub, H.
Desorption of a fixed-bed adsorber by ultrasound 679 (40)
Briers, R., see Declercq, N.F. 345 (40)
Brissaud, M., see Laguerre, L. 503 (39)
Brodeur, P.H., see Lafond, E.F. 1019 (40)
Brodsky, A.M., Burgess, L.W. and Robinson, A.L.
Cooperative effects in multi-bubble sonoluminescence 97 (39)
Bryant, J.T., see Zdero, R. 681 (39), 689 (39), 695 (39)
Brysev, A., Klopotov, R. and Krutyansky, L.
A quality of parametric wave phase conjugation of ultrasound 329 (40)
Bucur, V., Lanceleur, P. and Roge, B.
Acoustic properties of wood in tridimensional representation of slowness surfaces 537 (40)
Buick, J.M., see Cosgrove, J.A. 461 (39)
Bulcaen, D., see Blomme, E. 153 (40)
Burgess, L.W., see Brodsky, A.M. 97 (39)
Burkhardt, J.
Microstructural characterization using diffuse backscatter: theory and experiment 281 (40)
Busse, G., see Krohn, N. 633 (40)
Busse, G., see Solodov, I.Yu. 621 (40)
Busse, G., see Stoessel, R. 159 (40)
Bussière, J.F., see Moreau, A. 1047 (40)
Buyle-Bodin, F., see Goueygou, M. 77 (40)
Buyle-Bodin, F., see Ould Naffa, S. 247 (40)

Caliano, G., Caronti, A., Baruzzi, M., Rubini, A., Iula, A., Carotenuto, R. and Pappalardo, M.
PSpice modeling of capacitive microfabricated ultrasonic transducers 449 (40)
Callé, S., Remenieras, J.P., Bou Matar, O. and Patat, F.
Presence of nonlinear interference effects as a source of low frequency excitation force in vibro-acoustography 873 (40)
Calmon, P., see Lhémery, A. 231 (40)
Campillo, M., see Trégourès, N. 269 (40)
Campos-Pozuelo, C., see Gallego-Juárez, J.A. 889 (40)
Carcel, J.A., see Benedito, J. 19 (40)
Cardoni, A. and Lucas, M.
Enhanced vibration performance of ultrasonic block horns 365 (40)
Carlson, J. and Martinsson, P.-E.
A simple scattering model for measuring particle mass fractions in multiphase flows 585 (39)
Carmo, B.S., Prager, R.W., Gee, A.H. and Berman, L.H.
Speckle detection for 3D ultrasound 129 (40)
Caronti, A., see Caliano, G. 449 (40)
Carotenuto, R., see Caliano, G. 449 (40)
Carroll, N.L., Humphrey, V.F. and Smith, J.D.
Energy and phase velocity considerations required for attenuation and velocity measurements of anisotropic composites 525 (40)
Cassereau, D., see Kerbrat, E. 715 (40)
Castagnède, B., see Moussatov, A. 195 (39)
Castagnède, B., see Zaitsev, V.Yu. 627 (40)
Castaings, M., see Le Clézio, E. 187 (40)
Casula, O., see Roy, O. 243 (40)
Cawley, P., see Aristégui, C. 367 (39)
Chan, H.L.W., see Xu, C.H. 735 (39)
Chapelon, J.-Y., see Souchon, R. 867 (40)
Chatillon, S., see Lhémery, A. 231 (40)
Chauhan, S., Lowe, M.J.S. and Davies, B.L.
A multiple focused probe approach for high intensity focused ultrasound based surgery 33 (39)
Chen, S.H., see Chen, Y. 667 (39)
Chen, X.Y., see Chen, Y. 667 (39)
Chen, Y., Zhou, T.Y., Zhang, Q., Chen, X.Y. and Chen, S.H.
A study on the friction of a self-correction ultrasonic stepping motor 667 (39)
Cheng, L.-P., Zhang, G.-M., Zhang, S.-Y., Yu, J. and Shui, X.-J.
Miniaturization of surface acoustic waves rotary motor 591 (39)
Chiffoleau, G.J.A., Steinberg, T.A., Veidt, M. and Stickley, G.F.
Determination of the regression rate of a fast moving solid/liquid interface using ultrasonics 173 (39)
Cho, Y.S.
NDT response of spectral analysis of surface wave method to multi-layer thin high-strength concrete structures 227 (40)
Choi, D.W., McIntyre, C., Hutchins, D.A. and Billson, D.R.
Gas jet as a waveguide for air-coupled ultrasound 145 (40)
Chuang, S.-Y., see Dubois, M. 809 (40)
Clarke, A.R., see Harper, M.J. 555 (40)
Clement, G.T., Sun, J. and Hynynen, K.
The role of internal reflection in transskull phase distortion 109 (39)
Clorennec, D., Royer, D. and Walaszek, H.
Nondestructive evaluation of cylindrical parts using laser ultrasonics 783 (40)
Clorennec, D., see Kerbrat, E. 715 (40)
Cochran, A., see Shepherd, G. 223 (40)
Cochran, S., see Robertson, D. 913 (40)
Coddet, C., see Rosa, G. 355 (39)
Combette, Ph., Roudil, D. and Despaux, G.
Emulsion characterisation by focused ultrasonic waves 329 (39)
Conant, R.J., Telschow, K.L. and Walter, J.B.
Mathematical modeling of laser ablation in liquids with application to laser ultrasonics 1065 (40)
Cosgrove, J.A., Buick, J.M., Pye, S.D. and Greated, C.A.
PIV applied to Eckart streaming produced by a medical ultrasound transducer 461 (39)
Costil, S., see Rosa, G. 355 (39)
Cottle, D., see Hurley, D.H. 617 (40)
Coutte, J., Dubus, B., Debus, J.-C., Granger, C. and Jones, D.
Design, production and testing of PMN–PT electrostrictive transducers 883 (40)
Cudel, C., Grevillot, M., Meyer, J.J. and Jacquey, S.
Combining phase and energy detection with mathematical morphology in dual time–frequency representation leads to improved SSP noise robustness 291 (39)
Cugnet, B., Hladky, A.-C. and Assaad, J.
Numerical technique to reduce cross-coupling in acoustical arrays 503 (40)

Danese, G., see Lombardi, R. 143 (39)
Daniulaitis, V., see Kažys, R. 853 (40)
Das-Gupta, D., see Acevedo, P. 819 (40)
Davies, B.L., see Chauhan, S. 33 (39)

Davies, J., see Mortimer, B. 257 (39)
Deason, V.A., see Telschow, K.L. 1025 (40)
de Belleval, J.F., see Belgroune, D. 297 (40)
de Belleval, J.F., see Kundu, T. 283 (39)
de Belleval, J.-F., see Potel, C. 549 (40)
Debus, J.-C., see Coutte, J. 883 (40)
Declercq, F., see Blomme, E. 153 (40)
Declercq, N.F., Briers, R. and Leroy, O.
The use of polarized bounded beams to determine the groove direction of a surface corrugation at normal incidence, the generation of surface waves and the insonification at Bragg-angles 345 (40)
de Jong, N., Bouakaz, A. and Ten Cate, F.J.
Contrast harmonic imaging 567 (40)
de Jong, N., see Bouakaz, A. 575 (40)
de Korte, C.L. and van der Steen, A.F.W.
Intravascular ultrasound elastography: an overview 859 (40)
de Korte, C.L., see Schaar, J.A. 879 (40)
Delsanto, P.P., Hirsekorn, S., Agostini, V., Loparco, R. and Koka, A.
Modeling the propagation of ultrasonic waves in the interface region between two bonded elements 605 (40)
Delsing, J., see van Deventer, J. 403 (40)
Demirci, U., see Johnson, J. 471 (40)
Derode, A., Tourin, A. and Fink, M.
Time reversal versus phase conjugation in a multiple scattering environment 275 (40)
de Sarabia, E.R.F., see Álvarez-Arenas, T.E.G. 715 (39)
Deschamps, M. and Poncelet, O.
Inhomogeneous plane wave and the most energetic complex ray 293 (40)
Despaux, G., see Combette, Ph. 329 (39)
Dewhurst, R.J., see Murfin, A.S. 777 (40)
Dewhurst, R.J., see Murray, P.R. 771 (40)
Dixon, S., Edwards, C. and Palmer, S.B.
High accuracy non-contact ultrasonic thickness gauging of aluminium sheet using electromagnetic acoustic transducers 445 (39)
Djelouah, H., see Belgroune, D. 297 (40)
Dos Santos, S.C.B., see Guirro, R. 553 (39)
Drake, T.E., see Dubois, M. 809 (40)
Drinkwater, B.W., see Quinn, A.M. 495 (39)
Driscoll, D., see Tobocman, W. 983 (40)
Dual, J., see Gsell, D. 181 (40)
Dual, J., see Haake, A. 317 (40)
Dual, J., see Leutenegger, T. 721 (40)
Dual, J., see Profunser, D.M. 747 (40)
Dual, J., see Vollmann, J. 757 (40)
Dubois, M., Lorraine, P.W., Filkins, R.J., Drake, T.E., Yawn, K.R. and Chuang, S.-Y.
Experimental verification of the effects of optical wavelength on the amplitude of laser generated ultrasound in polymer-matrix composites 809 (40)
Dubois, M., see Moreau, A. 1047 (40)
du Bruyn, T., see Mortimer, B. 257 (39)
Dubus, B., Haw, G., Granger, C. and Ledez, O.
Characterization of multilayered piezoelectric ceramics for high power transducers 903 (40)
Dubus, B., see Coutte, J. 883 (40)
Duquennoy, M., Ouaftouh, M., Ourak, M. and Jenot, F.
Theoretical determination of Rayleigh wave acoustoelastic coefficients: comparison with experimental values 575 (39)
Durinck, G., Thys, W., Rembert, P. and Izbicki, J.-L.
The frequency width of symmetric modes of an aluminum plate: manifestation of a complex slowness on a frequency spectrum 649 (39)
Dwyer-Joyce, R.S., see Quinn, A.M. 495 (39)
Edwards, C., see Dixon, S. 445 (39)
El-Sharif, M., see Little, C. 667 (40)
Emelianov, S.Y., see Barannik, E.A. 849 (40)
Ergun, S., see Johnson, J. 471 (40)
Ericsson, L. and Stepinski, T.
Algorithms for suppressing ultrasonic backscattering from material structure 733 (40)
Every, A.G., see Shuvalov, A.L. 939 (40)

Falk, E., see Jensen, M.S. 89 (40)
Fenton, P.V., see Zdero, R. 681 (39), 689 (39), 695 (39)
Fernández-Marrón, J.L., see Lázaro, J.C. 263 (40)
Ferreira, M.S., Bauer, G.E.W. and Wapenaar, C.P.A.
Recursive Green functions technique applied to the propagation of elastic waves in layered media 355 (40)
Filkins, R.J., see Dubois, M. 809 (40)
Fink, M., see Derode, A. 275 (40)
Fink, M., see Kerbrat, E. 715 (40)
Flannery, C.M. and von Kiedrowski, H.
Effects of surface roughness on surface acoustic wave propagation in semiconductor materials 83 (40)
Flannery, C.M.
Study of porosity and stiffness measurement of nanoporous aerogel films with wideband ultrasonic surface waves 237 (40)
Forsberg, F., Rawool, N.M., Merton, D.A., Liu, J.B. and Goldberg, B.B.
Contrast enhanced vascular three-dimensional ultrasound imaging 117 (40)
Fraizier, E., Nadal, M.-H. and Oltra, R.
Evaluation of viscoelastic constants of metallic materials by laser-ultrasonics at elevating temperature 543 (40)
França, D.R., see Jen, C.-K. 81 (39)
Frenkel, V., Gurka, R., Liberzon, A., Shavit, U. and Kimmel, E.
Preliminary investigations of ultrasound induced acoustic streaming using particle image velocimetry 153 (39)
Friend, J.R., see Satonobu, J. 559 (39)
Frigstad, S., see Bouakaz, A. 575 (40)
Fritsch, C., Parrilla, M., Sánchez, T. and Martínez, O.
Beamforming with a reduced sampling rate 599 (40)
Fromme, P. and Sayir, M.B.
Detection of cracks at rivet holes using guided waves 199 (40)
Fuchino, S., see Nomura, H. 313 (40)
Fujita, H., see Kawashima, K. 611 (40)

Gallego, J.A., see Iula, A. 513 (40)
Gallego-Juárez, J.A., Rodríguez-Corral, G., Riera-Franco de Sarabia, E., Vázquez-Martínez, F., Campos-Pozuelo, C. and Acosta-Aparicio, V.M.
Recent developments in vibrating-plate macrosonic transducers 889 (40)
Gan, T.H., Hutchins, D.A., Billson, D.R. and Schindel, D.W.
The use of broadband acoustic transducers and pulse-compression techniques for air-coupled ultrasonic imaging 181 (39)
Gatignol, P., see Potel, C. 549 (40)
Gee, A., see Prager, R. 109 (40)
Gee, A.H., see Carmo, B.S. 129 (40)
Gee, A.H., see Prager, R.W. 133 (40)
Gengembre, N., see Lhémery, A. 231 (40)
Gerhardstein, J.P., see Lafond, E.F. 1019 (40)
Gilbert, E., see Keck, A. 661 (40)
Girnyk, A., see Barannik, E.A. 849 (40)
Gobran, N.K., see Youssef, M.H. 473 (39)

Goglio, L. and Rossetto, M.
Ultrasonic testing of anaerobic bonded joints 205 (40)
Goldberg, B.B., see Forsberg, F. 117 (40)
Gomatam, J., see Sboros, V. 579 (40)
Gondek, G. and Kwiek, P.
Acousto-optic polarizer 967 (40)
Gonzalez, R., see Benedito, J. 19 (40)
Gori, P. and Pappalardo, M.
Propagation-independent fields 287 (40)
Goueygou, M., Piwakowski, B., Ould Naffa, S. and Buyle-Bodin, F.
Assessment of broadband ultrasonic attenuation measurements in inhomogeneous media 77 (40)
Goueygou, M., see Ould Naffa, S. 247 (40)
Goujon, L., see Richard, C. 895 (40)
Goyette, J., see Sicard, R. 487 (39), 727 (40)
Goyette, J., see Zellouf, D. 203 (39)
Grabec, I., see Kosel, T. 303 (40)
Grange, G., see Richard, C. 895 (40)
Granger, C., see Coutte, J. 883 (40)
Granger, C., see Dubus, B. 903 (40)
Graullera, O., see Izquierdo, M.A.G. 259 (40)
Greated, C.A., see Cosgrove, J.A. 461 (39)
Grebe, A., see Pedersen, P.C. 101 (39)
Greenwood, M.S. and Bamberger, J.A.
Measurement of viscosity and shear wave velocity of a liquid or slurry for on-line process control 623 (39)
Greenwood, M.S. and Bamberger, J.A.
Ultrasonic sensor to measure the density of a liquid or slurry during pipeline transport 413 (40)
Gregersen, H., see Assentoft, J.E. 263 (39)
Grevillot, M., see Cudel, C. 291 (39)
Grill, W., see Kojro, Z. 67 (40)
Grybauskas, P., see Voleišis, A. 101 (40)
Gsell, D. and Dual, J.
Simulation of elastic wave propagation in cylindrical structures including excitation by piezoelectric transducers 181 (40)
Gudra, T. and Opieliński, K.J.
Influence of acoustic impedance of multilayer acoustic systems on the transfer function of ultrasonic airborne transducers 457 (40)
Gudra, T., see Opieliński, K.J. 465 (40)
Guidi, G., see Tortoli, P. 157 (39)
Guillermin, R., Lasaygues, P., Sessarego, J.P. and Wirgin, A.
Inversion of synthetic and experimental acoustical scattering data for the comparison of two reconstruction methods employing the Born approximation 121 (39)
Guilliorit, E., see Hosten, B. 419 (40)
Guirro, R. and Dos Santos, S.C.B.
Evaluation of the acoustic intensity of new ultrasound therapy equipment 553 (39)
Gurka, R., see Frenkel, V. 153 (39)
Gusev, V., see Zaitsev, V.Yu. 627 (40)
Gusev, V.
Multiple focused-waves production by parametric mixing in a layer with hysteretic quadratic nonlinearity 697 (40)
Gusev, V.E., see Sugawara, Y. 55 (40)
Guyomar, D., see Richard, C. 895 (40)

Haake, A. and Dual, J.
Micro-manipulation of small particles by node position control of an ultrasonic standing wave 317 (40)
Habeger, C.C., see Lafond, E.F. 1019 (40)
Haddad, J., see Levitsky, S. 703 (40)
Harada, H., see Ichitsubo, T. 211 (40)
Harada, Y., see Tsujino, J. 361 (40)
Harper, M.J. and Clarke, A.R.
Low frequency ultrasonic propagation through fibre reinforced, polymer composites 555 (40)
Hasegawa, A., see Tsujino, J. 371 (40)
Hasik, M.J., Kim, D.H., Howle, L.E., Needham, D. and Prush, D.P.
Evaluation of synthetic phospholipid ultrasound contrast agents 973 (40)
Hatanaka, S.-i., Yasui, K., Kozuka, T., Tuziuti, T. and Mitome, H.
Influence of bubble clustering on multibubble sonoluminescence 655 (40)
Hatanaka, S.-i., see Mitome, H. 683 (40)
Hatanaka, S.-i., see Tuziuti, T. 651 (40)
Haw, G., see Dubus, B. 903 (40)
Hawkes, J.J., see Hill, M. 385 (40)
Hayashi, T. and Kawashima, K.
Multiple reflections of Lamb waves at a delamination 193 (40)
He, P.
Simultaneous measurement of sound velocity and wall thickness of a tube 407 (39)
He, P. and Zheng, J.
Acoustic dispersion and attenuation measurement using both transmitted and reflected pulses 27 (39)
Hennino, R., see Trégourès, N. 269 (40)
Hepher, M.J., see Little, C. 667 (40)
Hernández, M.G., Anaya, J.J., Izquierdo, M.A.G. and Ullate, L.G.
Application of micromechanics to the characterization of mortar by ultrasound 217 (40)
Hernández, M.G., see Izquierdo, M.A.G. 259 (40)
Hesthaven, J.S., see Nielsen, S.A. 177 (40)
Hidai, K., see Tsujino, J. 371 (40)
Higuchi, S., see Nomura, H. 313 (40)
Higuchi, T., see Kanda, T. 61 (40)
Hill, M., Shen, Y. and Hawkes, J.J.
Modelling of layered resonators for ultrasonic separation 385 (40)
Hinders, M.K., see Malyarenko, E.V. 269 (39)
Hirao, M., see Ichitsubo, T. 211 (40)
Hirao, M., see Ogi, H. 333 (40), 649 (40)
Hirsekorn, S., see Delsanto, P.P. 605 (40)
Hirsekorn, S., see Rabe, U. 49 (40)
Hirsekorn, S.
Nonlinear transfer of ultrasound by adhesive joints – a theoretical description 57 (39)
Hladky, A.-C., see Cugnet, B. 503 (40)
Hladky-Hennion, A.C., see Zhang, J. 91 (39)
Holland, S.D. and Sachse, W.
A time-resolved method for nonlinear ultrasonic measurements 639 (40)
Hongoh, M., see Tsujino, J. 375 (40)
Hornowski, T., see Józefczak, A. 337 (40)
Hosten, B., Bacon, C. and Guilliorit, E.
Acoustic wave generation by microwaves and applications to nondestructive evaluation 419 (40)
Hosten, B., see Le Clézio, E. 187 (40)
Hou, C.-G., see Zhang, G.-M. 13 (39)
Howle, L.E., see Hasik, M.J. 973 (40)
Hsu, T.L., see Hu, W. 949 (40)
Hu, J.H., see Xu, C.H. 735 (39)
Hu, W., Wu, M.T., Liu, C.P., Shyu, L.-Y. and Hsu, T.L.
Left ventricular 4D echocardiogram motion and shape analysis 949 (40)
Huang, Y.-C., see Yang, S.-K. 525 (39)
Huang, Z., Lucas, M. and Adams, M.J.
Influence of ultrasonics on upsetting of a model paste 43 (40)

Hughes, W.J., see Zhang, J. 91 (39)
Humphrey, V.F., see Carroll, N.L. 525 (40)
Hurley, D.H., Telschow, K.L. and Cottle, D.
Probing acoustic nonlinearity on lengths scales comparable to material grain dimensions 617 (40)
Hutchins, D.A., see Choi, D.W. 145 (40)
Hutchins, D.A., see Gan, T.H. 181 (39)
Hutchins, D.A., see McIntosh, J.S. 477 (40)
Hutchins, D.A., see Robertson, T.J. 479 (39)
Hynynen, K., see Clement, G.T. 109 (39)

Ichitsubo, T., Ogi, H., Hirao, M., Tanaka, K., Osawa, M., Yokokawa, T., Kobayashi, T. and Harada, H.
Elastic constant measurement of Ni-base superalloy with the RUS and mode selective EMAR methods 211 (40)
Ignacio Céspedes, E., see Lupotti, F.A. 843 (40)
Ihara, I., see Jen, C.-K. 81 (39)
Ingleby, P. and Wright, W.M.D.
Ultrasonic imaging in air using fan-beam tomography and electrostatic transducers 507 (40)
Iooss, B., Lhuillier, C. and Jeanneau, H.
Numerical simulation of transit-time ultrasonic flowmeters: uncertainties due to flow profile and fluid turbulence 1009 (40)
Ishii, I., see Nomura, H. 313 (40)
Ito, T., see Kawashima, K. 611 (40)
Iula, A., Vazquez, F., Pappalardo, M. and Gallego, J.A.
Finite element three-dimensional analysis of the vibrational behaviour of the Langevin-type transducer 513 (40)
Iula, A., see Caliano, G. 449 (40)
Ivančević, B., see Štimac, A. 813 (40)
Izatt, J.A., see Tobocman, W. 983 (40)
Izbicki, J.-L., see Durinck, G. 649 (39)
Izquierdo, M.A.G., Hernández, M.G., Graullera, O. and Ullate, L.G.
Time–frequency Wiener filtering for structural noise reduction 259 (40)
Izquierdo, M.A.G., see Hernández, M.G. 217 (40)
Izquierdo, M.A.G., see Ullate, L.G. 123 (40)

Jacquey, S., see Cudel, C. 291 (39)
Jahny, J., see Kojro, Z. 67 (40)
Jakubik, W., Urbańczyk, M. and Opilski, A.
Sensor properties of lead phthalocyanine in a surface acoustic wave system 227 (39)
Jakubik, W., see Urbańczyk, M. 595 (39)
Jambrošić, K., see Štimac, A. 813 (40)
Jang, T.S., Lee, J.J., Yoon, D.J. and Lee, S.S.
Non-contact detection of laser-generated surface acoustic waves using fiber optic Sagnac interferometer 803 (40)
Jasiūnienė, E., see Kažys, R. 853 (40)
Jeanneau, H., see Iooss, B. 1009 (40)
Jen, C.-K., França, D.R., Sun, Z. and Ihara, I.
Clad polymer buffer rods for polymer process monitoring 81 (39)
Jen, C.-K., see Kobayashi, M. 675 (39)
Jenot, F., see Duquennoy, M. 575 (39)
Jensen, J.A., see Misaridis, T.X. 593 (40)
Jensen, M.S., Wilhjelm, J.E., Sahl, B., Brandt, T., Martinsen, K., Jespersen, S.K. and Falk, E.
A method to obtain reference images for evaluation of ultrasonic tissue characterization techniques 89 (40)
Jespersen, S.K., see Jensen, M.S. 89 (40)
Jiang, S., see Yu, T. 307 (39)
Jilani, S.Z., see Khan, M.A. 321 (39)
Johnson, J., Oralkan, Ö., Demirci, U., Ergun, S., Karaman, M. and Khuri-Yakub, P.
Medical imaging using capacitive micromachined ultrasonic transducer arrays 471 (40)
Jones, A.D.R., see McIntosh, J.S. 477 (40)
Jones, D., see Coutte, J. 883 (40)
Jørgensen, C.S., see Kundu, T. 515 (39)
Joshi, S.G., see Zaitsev, B.D. 45 (39), 51 (39), 943 (40)
Józefczak, A., Skumiel, A. and Hornowski, T.
Application of the ultrasonic waves in structural investigation of ferrofluid 337 (40)
Józefczak, A., see Skumiel, A. 341 (40)
Jurkonis, R. and Lukoševičius, A.
New method of spatial superposition of attenuated waves for ultrasound field modelling 823 (40)
Jurkonis, R., see Petkus, V. 829 (40)

Kaatze, U., Behrends, R. and Lautscham, K.
Acoustic relaxation spectrometers for liquids 393 (39)
Kaczmarek, M., Kubik, J. and Pakula, M.
Short ultrasonic waves in cancellous bone 95 (40)
Kaiho, K., see Nomura, H. 313 (40)
Kallel, F., see Souchon, R. 867 (40)
Kanai, R., see Tsujino, J. 371 (40)
Kanda, T., Kurosawa, M.K. and Higuchi, T.
Sensitivity of a miniaturized touch probe sensor using PZT thin film vibrator 61 (40)
Karaman, M., see Johnson, J. 471 (40)
Kawashima, K., Omote, R., Ito, T., Fujita, H. and Shima, T.
Nonlinear acoustic response through minute surface cracks: FEM simulation and experimentation 611 (40)
Kawashima, K., see Hayashi, T. 193 (40)
Kažys, R. and Mažeika, L.
Determination of spatial position of multiple targets by ultrasonic binaural method 397 (40)
Kažys, R., Mažeika, L., Barauskas, R., Jasiūnienė, E. and Daniulaitis, V.
Evaluation of diffraction errors in precise pulse-echo measurements of ultrasound velocity in chambers with waveguide 853 (40)
Kažys, R., see Voleišis, A. 101 (40)
Keck, A., Gilbert, E. and Köster, R.
Influence of particles on sonochemical reactions in aqueous solutions 661 (40)
Kemmere, M.F., see Kuijpers, M.W.A. 675 (40)
Kerbrat, E., Clorennec, D., Prada, C., Royer, D., Cassereau, D. and Fink, M.
Detection of cracks in a thin air-filled hollow cylinder by application of the DORT method to elastic components of the echo 715 (40)
Keurentjes, J.T.F., see Kuijpers, M.W.A. 675 (40)
Khan, M.A., Jilani, S.Z., Menouar, H. and Al-Majed, A.A.
A non-destructive method for mapping formation damage 321 (39)
Khuri-Yakub, B.T., see Perçin, G. 441 (40)
Khuri-Yakub, P., see Johnson, J. 471 (40)
Kim, C.-H., see Song, S.-J. 519 (40)
Kim, D.H., see Hasik, M.J. 973 (40)
Kim, T.J., see Kojro, Z. 67 (40)
Kimmel, E., see Frenkel, V. 153 (39)
Kirk, K.J., see Shepherd, G. 223 (40)
Kleszczewski, Z., see Błachowicz, T. 611 (39)
Klopotov, R., see Brysev, A. 329 (40)

Ko, W.-B. and Baek, K.-N.
The oxidation of fullerene [C_{70}] with various oxidants by ultrasonication 729 (39)
Kobayashi, M., Olding, T.R., Sayer, M. and Jen, C.-K.
Piezoelectric thick film ultrasonic transducers fabricated by a sol–gel spray technique 675 (39)
Kobayashi, T., see Ichitsubo, T. 211 (40)
Köhler, B. and Schubert, F.
Optical detection of elastodynamic fields of ultrasonic transducers 741 (40)
Kojima, Y., see Suri, C. 393 (40)
Kojro, Z., Jahny, J., Kim, T.J., Ndop, J., Schmachtl, M. and Grill, W.
Scanning acoustic Doppler microscopy and scanning acoustic correlation microscopy 67 (40)
Koka, A., see Delsanto, P.P. 605 (40)
Kokubo, A., see Ohno, M. 425 (39)
Kopycinska, M., see Rabe, U. 49 (40)
Korshak, B.A., Solodov, I.Yu. and Ballad, E.M.
DC effects, sub-harmonics, stochasticity and "memory" for contact acoustic non-linearity 707 (40)
Kosel, F., see Kosel, T. 303 (40)
Kosel, T., Grabec, I. and Kosel, F.
Time-delay estimation of acoustic emission signals using ICA 303 (40)
Köster, R., see Keck, A. 661 (40)
Koyama, K., see Suri, C. 393 (40)
Kozuka, T., see Hatanaka, S.-i. 655 (40)
Kozuka, T., see Tuziuti, T. 651 (40)
Kramb, V., see Meyendorf, N.G.H. 427 (40)
Krishnaswamy, S., see Sohn, Y. 543 (39)
Krohn, N., Stoessel, R. and Busse, G.
Acoustic non-linearity for defect selective imaging 633 (40)
Krohn, N., see Solodov, I.Yu. 621 (40)
Krohn, N., see Stoessel, R. 159 (40)
Krutyansky, L., see Brysev, A. 329 (40)
Kubik, J., see Kaczmarek, M. 95 (40)
Kuijpers, M.W.A., Kemmere, M.F. and Keurentjes, J.T.F.
Calorimetric study of the energy efficiency for ultrasound-induced radical formation 675 (40)
Kundu, T. and Jørgensen, C.S.
Measuring elastic properties of bones and silicon from $V(z)$ curve generated by multiply reflected signals 515 (39)
Kundu, T., Potel, C. and de Belleval, J.F.
Importance of the near Lamb mode imaging of multilayered composite plates 283 (39)
Kurosawa, M.K., see Kanda, T. 61 (40)
Kuznetsova, I.E., see Zaitsev, B.D. 45 (39), 51 (39), 943 (40)
Kwiek, P., see Gondek, G. 967 (40)

Łabowski, M., see Skumiel, A. 341 (40)
Lacombe, C., see Trégourès, N. 269 (40)
Lafond, E.F., Brodeur, P.H., Gerhardstein, J.P., Habeger, C.C. and Telschow, K.L.
Photorefractive interferometers for ultrasonic measurements on paper 1019 (40)
Laguerre, L., Aime, J.-C. and Brissaud, M.
Magnetostrictive pulse-echo device for non-destructive evaluation of cylindrical steel materials using longitudinal guided waves 503 (39)
Lanceleur, P., see Ben Amor, M. 561 (40)
Lanceleur, P., see Bucur, V. 537 (40)
Landa, M. and Plešek, J.
Contrast enhancement of ultrasonic imaging of internal stresses in materials 531 (40)
Lasaygues, P. and Pithioux, M.
Ultrasonic characterization of orthotropic elastic bovine bones 567 (39)
Lasaygues, P., see Guillermin, R. 121 (39)
Lautscham, K., see Kaatze, U. 393 (39)
Lavrentyev, A.I. and Rokhlin, S.I.
An ultrasonic method for determination of elastic moduli, density, attenuation and thickness of a polymer coating on a stiff plate 211 (39)
Lázaro, J.C., San Emeterio, J.L., Ramos, A. and Fernández-Marrón, J.L.
Influence of thresholding procedures in ultrasonic grain noise reduction using wavelets 263 (40)
Le Clézio, E., Castaings, M. and Hosten, B.
The interaction of the S_0 Lamb mode with vertical cracks in an aluminium plate 187 (40)
Ledez, O., see Dubus, B. 903 (40)
Lee, H.S., see Richard, C. 895 (40)
Lee, J.J., see Jang, T.S. 803 (40)
Lee, S.S., see Jang, T.S. 803 (40)
Lee, Y.-C.
Measurements of dispersion curves of leaky Lamb waves using a lens-less line-focus transducer 297 (39)
Lefebvre, L., see Létang, C. 133 (39)
Leporati, F., see Lombardi, R. 143 (39)
Leroy, O., see Declercq, N.F. 345 (40)
Leroy, O., see Windels, F. 171 (40)
Létang, C., Piau, M., Verdier, C. and Lefebvre, L.
Characterization of wheat-flour–water doughs: a new method using ultrasound 133 (39)
Leutenegger, T. and Dual, J.
Detection of defects in cylindrical structures using a time reverse method and a finite-difference approach 721 (40)
Lévesque, D., Blouin, A., Néron, C. and Monchalin, J.-P.
Performance of laser-ultrasonic F-SAFT imaging 1057 (40)
Lévesque, D., see Moreau, A. 1047 (40)
Levitsky, S., Bergman, R. and Haddad, J.
Acoustic waves in cylindrical gap, filled by polymeric liquid 703 (40)
Lewin, P.A., see Radulescu, E.G. 497 (40)
Lhémery, A., Calmon, P., Chatillon, S. and Gengembre, N.
Modeling of ultrasonic fields radiated by contact transducer in a component of irregular surface 231 (40)
Lhuillier, C., see Iooss, B. 1009 (40)
Liberzon, A., see Frenkel, V. 153 (39)
Little, C., Hepher, M.J. and El-Sharif, M.
The sono-degradation of phenanthrene in an aqueous environment 667 (40)
Littles Jr., J.W., see Valle, C. 535 (39)
Littmann, W., see Storck, H. 379 (40)
Liu, C.P., see Hu, W. 949 (40)
Liu, J.B., see Forsberg, F. 117 (40)
Lobkis, O., see Weaver, R. 435 (40)
Lombardi, R., Danese, G. and Leporati, F.
Flow Rate Profiler: an instrument to measure blood velocity profiles 143 (39)
Loparco, R., see Delsanto, P.P. 605 (40)
Lord, M., see Moreau, A. 1047 (40)
Lorraine, P.W., see Dubois, M. 809 (40)
Lowe, M.J.S., see Aristégui, C. 367 (39)
Lowe, M.J.S., see Chauhan, S. 33 (39)
Lu, Y.-k., see Zhou, Q.-B. 377 (39)
Lucas, M., see Cardoni, A. 365 (40)
Lucas, M., see Huang, Z. 43 (40)
Lukoševičius, A., see Jurkonis, R. 823 (40)

Lupotti, F.A., Ignacio Céspedes, E., Mastik, F. and van der Steen, A.F.W.
IVUS flow measurements: line spread function and decorrelation pattern 843 (40)
Luxenburger, S. and Arnold, W.
Laser ultrasonic absorption measurement in fatigue-damaged materials 797 (40)

MacDonald, C.A., see Sboros, V. 579 (40)
Mahaut, S., Roy, O., Beroni, C. and Rotter, B.
Development of phased array techniques to improve characterization of defect located in a component of complex geometry 165 (40)
Mahaut, S., see Roy, O. 243 (40)
Malyarenko, E.V. and Hinders, M.K.
Ultrasonic Lamb wave diffraction tomography 269 (39)
Manceau, J.-F., see Scortesse, J. 349 (40)
Mantovani, L., see Tortoli, P. 157 (39)
Margerin, L., see Trégourès, N. 269 (40)
Martinez, O., see Akhnak, M. 139 (40)
Martínez, O., see Fritsch, C. 599 (40)
Martínez, O., see Ullate, L.G. 123 (40)
Martinsen, K., see Jensen, M.S. 89 (40)
Martinsson, P.-E., see Carlson, J. 585 (39)
Marusenko, A.I., see Barannik, E.A. 849 (40)
Massicotte, D., see Zellouf, D. 203 (39)
Mastik, F., see Lupotti, F.A. 843 (40)
Mastik, F., see Schaar, J.A. 879 (40)
Matsuda, O. and Wright, O.B.
Laser picosecond acoustics in multilayer structures 753 (40)
Matsuda, O., see Sugawara, Y. 55 (40)
Matsukawa, M., Akimoto, T., Ueba, S. and Otani, T.
Ultrasonic wave properties in the particle compounded agarose gels 323 (40)
Matsushima, K., see Tsujino, J. 371 (40)
Matsuura, H., see Tsujino, J. 371 (40)
Mažeika, L., see Kažys, R. 397 (40), 853 (40)
Mažeika, L., see Voleišis, A. 101 (40)
McDicken, W.N., see Sboros, V. 579 (40)
McIntosh, J.S., Hutchins, D.A., Billson, D.R., Robertson, T.J., Noble, R.A. and Jones, A.D.R.
The characterization of capacitive micromachined ultrasonic transducers in air 477 (40)
McIntyre, C., see Choi, D.W. 145 (40)
McKie, A.D.W. and Addison Jr., R.C.
Laser-based ultrasonic inspection with a fiber-coupled scanning Cassegrain system 1037 (40)
McNab, A., see Shepherd, G. 223 (40)
Medina, L. and Wykes, C.
Multiple target 3D location airborne ultrasonic system 19 (39)
Mendelsohn, Y. and Wiener-Avnear, E.
Simulations of circular 2D phase-array ultrasonic imaging transducers 657 (39)
Menouar, H., see Khan, M.A. 321 (39)
Merton, D.A., see Forsberg, F. 117 (40)
Meyendorf, N.G.H., Rösner, H., Kramb, V. and Sathish, S.
Thermo-acoustic fatigue characterization 427 (40)
Meyer, J.J., see Cudel, C. 291 (39)
Mignogna, R.B., see Schechter, R.S. 163 (39)
Ming, Y. and Peiwen, Q.
Performances estimation of a rotary traveling wave ultrasonic motor based on two-dimension analytical model 115 (39)
Misaridis, T.X. and Jensen, J.A.
Space–time encoding for high frame rate ultrasound imaging 593 (40)
Mitome, H. and Hatanaka, S.-i.
Optimization of a sonochemical reactor using a pulsing operation 683 (40)
Mitome, H., see Hatanaka, S.-i. 655 (40)
Mitome, H., see Tuziuti, T. 651 (40)
Mizutani, K., see Murayama, R. 491 (40)
Monchalin, J.-P., see Lévesque, D. 1057 (40)
Monchalin, J.-P., see Moreau, A. 1047 (40)
Montero de Espinosa, F., see Akhnak, M. 139 (40)
Moran, C.M., see Sboros, V. 579 (40)
Moreau, A., Lévesque, D., Lord, M., Dubois, M., Monchalin, J.-P., Padioleau, C. and Bussière, J.F.
On-line measurement of texture, thickness and plastic strain ratio using laser-ultrasound resonance spectroscopy 1047 (40)
Mortimer, B., du Bruyn, T., Davies, J. and Tapson, J.
High power resonant tracking amplifier using admittance locking 257 (39)
Moussatov, A., Ayrault, C. and Castagnède, B.
Porous material characterization – ultrasonic method for estimation of tortuosity and characteristic length using a barometric chamber 195 (39)
Mozhaev, V.G. and Weihnacht, M.
Subsonic leaky Rayleigh waves at liquid–solid interfaces 927 (40)
Možina, J., see Strgar, S. 791 (40)
Mracek, M., see Storck, H. 379 (40)
Mühlen, S.S., see Arnold, F.J. 1 (39), 7 (39)
Mulet, A., see Benedito, J. 19 (40)
Murayama, R.
Non-destructive evaluation of formability in cold rolled steel sheets using the SH_0-mode plate wave by electromagnetic acoustic transducer 335 (39)
Murayama, R. and Mizutani, K.
Conventional electromagnetic acoustic transducer development for optimum Lamb wave modes 491 (40)
Murfin, A.S. and Dewhurst, R.J.
Estimation of wall thinning in mild steel using laser ultrasound Lamb waves and a non-steady-state photo-emf detector 777 (40)
Murray, P.R. and Dewhurst, R.J.
Application of a laser/EMAT system for using shear and LS mode converted waves 771 (40)

Nadal, M.-H., see Fraizier, E. 543 (40)
Nadal, M.-H., see Rosa, G. 765 (40)
Nagy, P.B., see Yan, Z. 689 (40)
Nakamura, K., see Satonobu, J. 559 (39)
Natori, H., see Nomura, H. 313 (40)
Ndop, J., see Kojro, Z. 67 (40)
Needham, D., see Hasik, M.J. 973 (40)
Negreira, C., see Arzúa, A. 997 (40)
Néron, C., see Lévesque, D. 1057 (40)
Newhouse, V.L., see Tortoli, P. 157 (39)
Newnham, R.E., see Zhang, J. 91 (39)
Nielsen, S.A. and Hesthaven, J.S.
A multi-domain Chebyshev collocation method for predicting ultrasonic field parameters in complex material geometries 177 (40)
Noble, R.A., see McIntosh, J.S. 477 (40)
Nomura, H., Kaiho, K., Fuchino, S., Ishii, I., Higuchi, S., Tateishi, H., Arai, K., Yamaguchi, H., Natori, H. and Sekine, S.
Binding evaluation of the combination between the superconductor and matrix by ultrasonic spectra 313 (40)
Nosek, J. and Zelenka, J.
Quartz strip resonators as a temperature sensor 465 (39)
Nowicki, A., see Radulescu, E.G. 497 (40)

O'Brien Jr., W.D., see Assentoft, J.E. 263 (39)
Ogata, H., see Tsujino, J. 361 (40)
Ogi, H., Hirao, M. and Shimoyama, M.
Activation of TiO_2 photocatalyst by single-bubble sonoluminescence for water treatment 649 (40)
Ogi, H., Shimoike, G., Takashima, K. and Hirao, M.
Measurement of elastic-stiffness tensor of an anisotropic thin film by electromagnetic acoustic resonance 333 (40)
Ogi, H., see Ichitsubo, T. 211 (40)
Ohno, M., Tittmann, B.R., Kokubo, A. and Takagi, K.
Incident-angle dependence of the phase conjugate reflectivity by nonlinear piezoelectric interaction in PZT ceramics 425 (39)
Olding, T.R., see Kobayashi, M. 675 (39)
Oltra, R., see Fraizier, E. 543 (40)
Oltra, R., see Rosa, G. 355 (39), 765 (40)
Omote, R., see Kawashima, K. 611 (40)
Onoguchi, R., see Tsujino, J. 375 (40)
Onyeche, T., see Schläfer, O. 25 (40)
Onyeche, T.I., Schläfer, O., Bormann, H., Schröder, C. and Sievers, M.
Ultrasonic cell disruption of stabilised sludge with subsequent anaerobic digestion 31 (40)
Ophir, J., see Souchon, R. 867 (40)
Opieliński, K.J. and Gudra, T.
Influence of the thickness of multilayer matching systems on the transfer function of ultrasonic airborne transducer 465 (40)
Opieliński, K.J., see Gudra, T. 457 (40)
Opilski, A., see Jakubik, W. 227 (39)
Oralkan, Ö., see Johnson, J. 471 (40)
Osawa, M., see Ichitsubo, T. 211 (40)
O'Sullivan, I.J. and Wright, W.M.D.
Ultrasonic measurement of gas flow using electrostatic transducers 407 (40)
Otani, T., see Matsukawa, M. 323 (40)
Ouaftouh, M., see Duquennoy, M. 575 (39)
Ould Naffa, S., Goueygou, M., Piwakowski, B. and Buyle-Bodin, F.
Detection of chemical damage in concrete using ultrasound 247 (40)
Ould Naffa, S., see Goueygou, M. 77 (40)
Ourak, M., see Duquennoy, M. 575 (39)

Padioleau, C., see Moreau, A. 1047 (40)
Pakula, M., see Kaczmarek, M. 95 (40)
Palmer, S.B., see Dixon, S. 445 (39)
Pandit, A.B., see Rajan, R. 235 (39)
Pappalardo, M., see Caliano, G. 449 (40)
Pappalardo, M., see Gori, P. 287 (40)
Pappalardo, M., see Iula, A. 513 (40)
Parrilla, M., see Fritsch, C. 599 (40)
Parrilla, M., see Ullate, L.G. 123 (40)
Patat, F., see Callé, S. 873 (40)
Pedersen, P.C. and Grebe, A.
Application of time delay spectrometry for rough surface characterization 101 (39)
Peiwen, Q., see Ming, Y. 115 (39)
Perçin, G. and Khuri-Yakub, B.T.
Piezoelectrically actuated flextensional micromachined ultrasound transducers 441 (40)
Petkus, V., Ragauskas, A. and Jurkonis, R.
Investigation of intracranial media ultrasonic monitoring model 829 (40)
Pettersson, T. and Anttila, J.
On the verification of the applicability of the orthotropic plate wave theory to paper 617 (39)
Pfleiderer, K., see Stoessel, R. 159 (40)
Piau, M., see Létang, C. 133 (39)
Pithioux, M., see Lasaygues, P. 567 (39)
Piwakowski, B., see Goueygou, M. 77 (40)
Piwakowski, B., see Ould Naffa, S. 247 (40)
Plešek, J., see Landa, M. 531 (40)
Poncelet, O., see Deschamps, M. 293 (40)
Potel, C., Gatignol, P. and de Belleval, J.-F.
A stationary phase argument for the modal wave beam deviation in the time–space domain for anisotropic multilayered media 549 (40)
Potel, C., see Kundu, T. 283 (39)
Povey, M.J.W., see Tong, J. 37 (40)
Prada, C., see Kerbrat, E. 715 (40)
Prager, R., Gee, A., Treece, G. and Berman, L.
Freehand 3D ultrasound without voxels: volume measurement and visualisation using the Stradx system 109 (40)
Prager, R.W., Gee, A.H., Treece, G.M. and Berman, L.H.
Analysis of speckle in ultrasound images using fractional order statistics and the homodyned k-distribution 133 (40)
Prager, R.W., see Carmo, B.S. 129 (40)
Profunser, D.M., Vollmann, J. and Dual, J.
Ultrasonic wave propagation in focussing tips with arbitrary geometries 747 (40)
Profunser, D.M., see Vollmann, J. 757 (40)
Prush, D.P., see Hasik, M.J. 973 (40)
Psyllaki, P., see Rosa, G. 355 (39)
Pye, S.D., see Cosgrove, J.A. 461 (39)
Pye, S.D., see Sboros, V. 579 (40)

Quinn, A.M., Drinkwater, B.W. and Dwyer-Joyce, R.S.
The measurement of contact pressure in machine elements using ultrasound 495 (39)

Rabe, U., Kopycinska, M., Hirsekorn, S. and Arnold, W.
Evaluation of the contact resonance frequencies in atomic force microscopy as a method for surface characterisation (invited) 49 (40)
Radulescu, E.G., Lewin, P.A. and Nowicki, A.
1–60 MHz measurements in focused acoustic fields using spatial averaging corrections 497 (40)
Ragauskas, A., see Petkus, V. 829 (40)
Rajan, R. and Pandit, A.B.
Correlations to predict droplet size in ultrasonic atomisation 235 (39)
Rakels, J.H., see Robertson, T.J. 479 (39)
Ramos, A., Ruiz, A., Sanz, P.T. and San Emeterio, J.L.
Some non-linear aspects of the electronic stages in time-domain modelling of NDE pulse-echo ultrasonic systems 253 (40)
Ramos, A., see Lázaro, J.C. 263 (40)
Rawool, N.M., see Forsberg, F. 117 (40)
Reibold, R., see Boutkedjirt, T. 631 (39), 641 (39)
Rembert, P., see Durinck, G. 649 (39)
Remenieras, J.P., see Callé, S. 873 (40)
Richard, C., Goujon, L., Guyomar, D., Lee, H.S. and Grange, G.
Selecting passive and active materials for 1.3 composite power transducers 895 (40)
Riera-Franco de Sarabia, E., see Gallego-Juárez, J.A. 889 (40)
Robertson, D. and Cochran, S.
Experimental investigation of alternative pre-stress components for a 3-1 connectivity multilayer piezoelectric-polymer composite ultrasonic transducer 913 (40)
Robertson, T.J., Hutchins, D.A., Billson, D.R., Rakels, J.H. and Schindel, D.W.
Surface metrology using reflected ultrasonic signals in air 479 (39)
Robertson, T.J., see McIntosh, J.S. 477 (40)

Robinson, A.L., see Brodsky, A.M. 97 (39)
Rodríguez-Corral, G., see Gallego-Juárez, J.A. 889 (40)
Rogé, B., see Ben Amor, M. 561 (40)
Roge, B., see Bucur, V. 537 (40)
Rokhlin, S.I., see Lavrentyev, A.I. 211 (39)
Rokhlin, S.I., see Wang, L. 413 (39)
Rosa, G., Oltra, R. and Nadal, M.-H.
Laser induced decohesion of coatings: probing by laser ultrasonics 765 (40)
Rosa, G., Psyllaki, P., Oltra, R., Costil, S. and Coddet, C.
Simultaneous laser generation and laser ultrasonic detection of the mechanical breakdown of a coating–substrate interface 355 (39)
Rösner, H., see Meyendorf, N.G.H. 427 (40)
Rossetto, M., see Goglio, L. 205 (40)
Rotter, B., see Mahaut, S. 165 (40)
Roudil, D., see Combette, Ph. 329 (39)
Roy, O., Mahaut, S. and Casula, O.
Control of the ultrasonic beam transmitted through an irregular profile using a smart flexible transducer: modelling and application 243 (40)
Roy, O., see Mahaut, S. 165 (40)
Royer, D., see Clorennec, D. 783 (40)
Royer, D., see Kerbrat, E. 715 (40)
Royer, D.
A study of the secular equation for Rayleigh waves using the root locus method 223 (39)
Royer, D.
Mixed matrix formulation for the analysis of laser-generated acoustic waves by a thermoelastic line source 345 (39)
Rubini, A., see Caliano, G. 449 (40)
Ruiz, A., see Ramos, A. 253 (40)

Sachse, W., see Holland, S.D. 639 (40)
Sahl, B., see Jensen, M.S. 89 (40)
Sánchez, T., see Fritsch, C. 599 (40)
San Emeterio, J.L., see Lázaro, J.C. 263 (40)
San Emeterio, J.L., see Ramos, A. 253 (40)
Sano, T., see Tsujino, J. 361 (40)
Sanz, P.T., see Ramos, A. 253 (40)
Sarvazyan, A.P., see Barannik, E.A. 849 (40)
Sathish, S., see Meyendorf, N.G.H. 427 (40)
Satonobu, J., Friend, J.R., Nakamura, K. and Ueha, S.
Numerical analysis of the hybrid transducer ultrasonic motor: comparison of characteristics calculated by transmission-line and lumped-element models 559 (39)
Sayer, M., see Kobayashi, M. 675 (39)
Sayir, M.B., see Fromme, P. 199 (40)
Sboros, V., MacDonald, C.A., Pye, S.D., Moran, C.M., Gomatam, J. and McDicken, W.N.
The dependence of ultrasound contrast agents backscatter on acoustic pressure: theory versus experiment 579 (40)
Schaar, J.A., de Korte, C.L., Mastik, F. and van der Steen, A.F.W.
Effect of temperature increase and freezing on intravascular elastography 879 (40)
Schechter, R.S., Simmonds, K.E. and Mignogna, R.B.
Computational and experimental investigation of the fields generated by a 1–3 piezocomposite transducer 163 (39)
Schindel, D.W., see Gan, T.H. 181 (39)
Schindel, D.W., see Robertson, T.J. 479 (39)
Schläfer, O., Onyeche, T., Bormann, H., Schröder, C. and Sievers, M.
Ultrasound stimulation of micro-organisms for enhanced biodegradation 25 (40)
Schläfer, O., see Onyeche, T.I. 31 (40)
Schmachtl, M., see Kojro, Z. 67 (40)
Schmidt-Traub, H., see Breitbach, M. 679 (40)
Schröder, C., see Onyeche, T.I. 31 (40)
Schröder, C., see Schläfer, O. 25 (40)
Schubert, F., see Köhler, B. 741 (40)
Scortesse, J., Manceau, J.-F. and Bastien, F.
Displacement of droplets on a vibrating structure 349 (40)
Segura, L.E., see Álvarez-Arenas, T.E.G. 715 (39)
Sekine, S., see Nomura, H. 313 (40)
Sessarego, J.P., see Guillermin, R. 121 (39)
Shapiro, N.M., see Trégourès, N. 269 (40)
Shavit, U., see Frenkel, V. 153 (39)
Shen, Y., see Hill, M. 385 (40)
Shepherd, G., Cochran, A., Kirk, K.J. and McNab, A.
1–3 connectivity composite material made from lithium niobate and cement for ultrasonic condition monitoring at elevated temperatures 223 (40)
Shilo, D. and Zolotoyabko, E.
Visualization of surface acoustic wave scattering by dislocations 921 (40)
Shima, T., see Kawashima, K. 611 (40)
Shimoike, G., see Ogi, H. 333 (40)
Shimoyama, M., see Ogi, H. 649 (40)
Shokrollahi, N., see Tobocman, W. 983 (40)
Shui, X.-J., see Cheng, L.-P. 591 (39)
Shuvalov, A.L. and Every, A.G.
Characteristic features of the velocity dispersion of surface acoustic waves in anisotropic coated solids 939 (40)
Shyu, L.-Y., see Hu, W. 949 (40)
Sicard, R., Goyette, J. and Zellouf, D.
A numerical dispersion compensation technique for time recompression of Lamb wave signals 727 (40)
Sicard, R., Goyette, J. and Zellouf, D.
A SAFT algorithm for lamb wave imaging of isotropic plate-like structures 487 (39)
Sievers, M., see Onyeche, T.I. 31 (40)
Sievers, M., see Schläfer, O. 25 (40)
Simmonds, K.E., see Schechter, R.S. 163 (39)
Skumiel, A., Łabowski, M. and Józefczak, A.
The measurements of anisotropy of ultrasound propagation and magnetic susceptibility in viscous ferrofluid 341 (40)
Skumiel, A., see Błachowicz, T. 611 (39)
Skumiel, A., see Józefczak, A. 337 (40)
Śliteris, R., see Voleišis, A. 101 (40)
Smith, J.D., see Carroll, N.L. 525 (40)
Sohn, Y. and Krishnaswamy, S.
Mass spring lattice modeling of the scanning laser source technique 543 (39)
Solodov, I.Yu., Krohn, N. and Busse, G.
CAN: an example of nonclassical acoustic nonlinearity in solids 621 (40)
Solodov, I.Yu., see Korshak, B.A. 707 (40)
Song, S.-J. and Kim, C.-H.
Simulation of 3-D radiation beam patterns propagated through a planar interface from ultrasonic phased array transducers 519 (40)
Soualmi, L., see Souchon, R. 867 (40)
Souchon, R., Soualmi, L., Bertrand, M., Chapelon, J.-Y., Kallel, F. and Ophir, J.
Ultrasonic elastography using sector scan imaging and a radial compression 867 (40)
Steinberg, T.A., see Chiffoleau, G.J.A. 173 (39)
Stepinski, T., see Ericsson, L. 733 (40)
Stepinski, T., see Wu, P. 307 (40)
Stickley, G.F., see Chiffoleau, G.J.A. 173 (39)
Štimac, A., Ivančević, B. and Jambrošić, K.
Directivity pattern of neurosurgical endoscopic ultrasonic probes 813 (40)

Stoessel, R., Krohn, N., Pfleiderer, K. and Busse, G.
Air-coupled ultrasound inspection of various materials 159 (40)
Stoessel, R., see Krohn, N. 633 (40)
Storck, H., Littmann, W., Wallaschek, J. and Mracek, M.
The effect of friction reduction in presence of ultrasonic vibrations and its relevance to travelling wave ultrasonic motors 379 (40)
Strgar, S. and Možina, J.
An optodynamic determination of the depth of laser-drilled holes by the simultaneous detection of ultrasonic waves in the air and in the workpiece 791 (40)
Sugawara, Y., Wright, O.B., Matsuda, O. and Gusev, V.E.
Spatiotemporal mapping of surface acoustic waves in isotropic and anisotropic materials 55 (40)
Sun, J., see Clement, G.T. 109 (39)
Sun, Z., see Jen, C.-K. 81 (39)
Suri, C., Takenaka, K., Yanagida, H., Kojima, Y. and Koyama, K.
Chaotic mixing generated by acoustic streaming 393 (40)

Takagi, K., see Ohno, M. 425 (39)
Takashima, K., see Ogi, H. 333 (40)
Takenaka, K., see Suri, C. 393 (40)
Tanaka, K., see Ichitsubo, T. 211 (40)
Tanaka, R., see Tsujino, J. 361 (40), 375 (40)
Tapson, J., see Mortimer, B. 257 (39)
Tateishi, H., see Nomura, H. 313 (40)
Telling, R.H. and Walton, A.J.
Bernoulli excitation and detection of gas bubbles 455 (39)
Telschow, K.L. and Deason, V.A.
Imaging anisotropic elastic properties of an orthotropic paper sheet using photorefractive dynamic holography 1025 (40)
Telschow, K.L., see Conant, R.J. 1065 (40)
Telschow, K.L., see Hurley, D.H. 617 (40)
Telschow, K.L., see Lafond, E.F. 1019 (40)
Temsamani, A.B., Vandenplas, S. and Van Biesen, L.
Surface waves investigation for ultrasonic materials characterization: theory and experimental verification 73 (40)
Ten Cate, F.J., see Bouakaz, A. 575 (40)
Ten Cate, F.J., see de Jong, N. 567 (40)
Thijssen, J.M., see van Wijk, M.C. 585 (40)
Thompson, R.S. and Aldis, G.K.
Flow spectra from spectral power density calculations for pulsed Doppler 835 (40)
Thompson, R.S. and Aldis, G.K.
Spectral power density calculations for pulsed Doppler 703 (39)
Thys, W., see Durinck, G. 649 (39)
Tittmann, B.R., see Ohno, M. 425 (39)
Tobocman, W., Driscoll, D., Shokrollahi, N. and Izatt, J.A.
Free of speckle ultrasound images of small tissue structures 983 (40)
Tong, J. and Povey, M.J.W.
Pulse echo comparison method with FSUPER to measure velocity dispersion in *n*-tetradecane in water emulsions 37 (40)
Tortoli, P., Guidi, G., Mantovani, L. and Newhouse, V.L.
Velocity magnitude estimation with linear arrays using Doppler bandwidth 157 (39)
Tourin, A., see Derode, A. 275 (40)
Tovstiak, V., see Barannik, E.A. 849 (40)
Treece, G., see Prager, R. 109 (40)
Treece, G.M., see Prager, R.W. 133 (40)
Trégourès, N., Hennino, R., Lacombe, C., Shapiro, N.M., Margerin, L., Campillo, M. and van Tiggelen, B.A.
Multiple scattering of seismic waves 269 (40)
Trucco, A.
Weighting and thinning wide-band arrays by simulated annealing 485 (40)
Tsujino, J., Hidai, K., Hasegawa, A., Kanai, R., Matsuura, H., Matsushima, K. and Ueoka, T.
Ultrasonic butt welding of aluminum, aluminum alloy and stainless steel plate specimens 371 (40)
Tsujino, J., Hongoh, M., Tanaka, R., Onoguchi, R. and Ueoka, T.
Ultrasonic plastic welding using fundamental and higher resonance frequencies 375 (40)
Tsujino, J., Sano, T., Ogata, H., Tanaka, S. and Harada, Y.
Complex vibration ultrasonic welding systems with large area welding tips 361 (40)
Turner, J.A., see Anugonda, P. 429 (39)
Tuziuti, T., Hatanaka, S.-i., Yasui, K., Kozuka, T. and Mitome, H.
Influence of dissolved oxygen content on multibubble sonoluminescence with ambient-pressure reduction 651 (40)
Tuziuti, T., see Hatanaka, S.-i. 655 (40)

Ueba, S., see Matsukawa, M. 323 (40)
Ueha, S., see Satonobu, J. 559 (39)
Ueoka, T., see Tsujino, J. 371 (40), 375 (40)
Ullate, L.G., Martínez, O., Parrilla, M. and Izquierdo, M.A.G.
3D beamforming with ultrasonic divided-ring arays 123 (40)
Ullate, L.G., see Akhnak, M. 139 (40)
Ullate, L.G., see Hernández, M.G. 217 (40)
Ullate, L.G., see Izquierdo, M.A.G. 259 (40)
Urbańczyk, M., see Jakubik, W. 227 (39)
Urbańczyk, M., Waltar, Z. and Jakubik, W.
Interdigital transducer analysis using equivalent PSpice model 595 (39)

Valle, C. and Littles Jr., J.W.
Flaw localization using the reassigned spectrogram on laser-generated and detected Lamb modes 535 (39)
Van Biesen, L., see Temsamani, A.B. 73 (40)
Vandenplas, S., see Temsamani, A.B. 73 (40)
van der Steen, A.F.W., see de Korte, C.L. 859 (40)
van der Steen, A.F.W., see Lupotti, F.A. 843 (40)
van der Steen, A.F.W., see Schaar, J.A. 879 (40)
van Deventer, J. and Delsing, J.
Apparent transducer non-reciprocity in an ultrasonic flow meter 403 (40)
van Tiggelen, B.A., see Trégourès, N. 269 (40)
van Wijk, M.C. and Thijssen, J.M.
Performance testing of medical ultrasound equipment: fundamental vs. harmonic mode 585 (40)
Vazquez, F., see Iula, A. 513 (40)
Vázquez-Martínez, F., see Gallego-Juárez, J.A. 889 (40)
Veidt, M., see Chiffoleau, G.J.A. 173 (39)
Verdier, C., see Létang, C. 133 (39)
Voleišis, A., Kažys, R., Mažeika, L., Šliteris, R., Voleišienė, B. and Grybauskas, P.
Ultrasonic method for the whole blood coagulation analysis 101 (40)
Voleišienė, B., see Voleišis, A. 101 (40)
Vollmann, J., Profunser, D.M. and Dual, J.
Sensitivity improvement of a pump–probe set-up for thin film and microstructure metrology 757 (40)
Vollmann, J., see Profunser, D.M. 747 (40)
von Kiedrowski, H., see Flannery, C.M. 83 (40)

Walaszek, H., see Clorennec, D. 783 (40)
Wallaschek, J., see Storck, H. 379 (40)
Waltar, Z., see Urbańczyk, M. 595 (39)
Walter, J.B., see Conant, R.J. 1065 (40)
Walton, A.J., see Telling, R.H. 455 (39)
Wang, L. and Rokhlin, S.I.
Stable reformulation of transfer matrix method for wave propagation in layered anisotropic media 413 (39)
Wang, Y.-W., see Zhang, G.-M. 13 (39)
Wang, Z., see Yu, T. 307 (39)
Wapenaar, C.P.A., see Ferreira, M.S. 355 (40)
Weaver, R. and Lobkis, O.
On the emergence of the Green's function in the correlations of a diffuse field: pulse-echo using thermal phonons 435 (40)
Webb, P. and Wykes, C.
Analysis of fast accurate low ambiguity beam forming for non $\lambda/2$ ultrasonic arrays 69 (39)
Weihnacht, M., see Mozhaev, V.G. 927 (40)
Wheatley, M.A., see Basude, R. 437 (39)
Wiehn, J.S., see Anugonda, P. 429 (39)
Wiener-Avnear, E., see Mendelsohn, Y. 657 (39)
Wilhjelm, J.E., see Jensen, M.S. 89 (40)
Willatzen, M.
Temperature gradients and flow-meter performance 383 (39)
Windels, F. and Leroy, O.
Air-coupled ultrasonic testing of diffusion bonds 171 (40)
Wirgin, A., see Guillermin, R. 121 (39)
Wright, O.B., see Matsuda, O. 753 (40)
Wright, O.B., see Sugawara, Y. 55 (40)
Wright, W.M.D., see Ingleby, P. 507 (40)
Wright, W.M.D., see O'Sullivan, I.J. 407 (40)
Wu, M.T., see Hu, W. 949 (40)
Wu, P. and Stepinski, T.
A spatial impulse response based method for determining effective geometrical parameters for spherically focused transducers 307 (40)
Wykes, C., see Medina, L. 19 (39)
Wykes, C., see Webb, P. 69 (39)

Xu, C.H., Hu, J.H. and Chan, H.L.W.
Behavior of a PZT ring under non-uniform mechanical stress 735 (39)

Yamada, J.
Relation of the insertion loss and the triple transit echo in surface acoustic wave unidirectional transducers 935 (40)
Yamaguchi, H., see Nomura, H. 313 (40)
Yan, Z. and Nagy, P.B.
Thermo-optical modulation of ultrasonic surface waves for NDE 689 (40)
Yanagida, H., see Suri, C. 393 (40)
Yang, S.-K. and Huang, Y.-C.
Biological effect of paramecium in diffused ultrasonic fields 525 (39)
Yasui, K.
Segregation of vapor and gas in a sonoluminescing bubble 643 (40)
Yasui, K., see Hatanaka, S.-i. 655 (40)
Yasui, K., see Tuziuti, T. 651 (40)
Yawn, K.R., see Dubois, M. 809 (40)
Yokokawa, T., see Ichitsubo, T. 211 (40)
Yoon, D.J., see Jang, T.S. 803 (40)
Youssef, M.H. and Gobran, N.K.
Modified treatment of ultrasonic pulse-echo immersion technique 473 (39)
Yu, J., see Cheng, L.-P. 591 (39)
Yu, T., Wang, Z. and Jiang, S.
Potentiation of cytotoxicity of adriamycin on human ovarian carcinoma cell line 3AO by low-level ultrasound 307 (39)

Zaitsev, B.D., Kuznetsova, I.E., Borodina, I.A. and Joshi, S.G.
Characteristics of acoustic plate waves in potassium niobate ($KNbO_3$) single crystal 51 (39)
Zaitsev, B.D., Kuznetsova, I.E. and Joshi, S.G.
Improved equivalent circuits for acoustic plate wave devices 943 (40)
Zaitsev, B.D., Kuznetsova, I.E., Joshi, S.G. and Borodina, I.A.
Acoustic waves in piezoelectric plates bordered with viscous and conductive liquid 45 (39)
Zaitsev, V.Yu., Gusev, V. and Castagnède, B.
Observation of the "Luxemburg–Gorky effect" for elastic waves 627 (40)
Zdero, R., Fenton, P.V. and Bryant, J.T.
A digital image analysis method for diagnostic ultrasound calibration 695 (39)
Zdero, R., Fenton, P.V. and Bryant, J.T.
Diagnostic ultrasound artifacts during imaging of two-body interfaces: Part 1—Wavelength resonance 681 (39)
Zdero, R., Fenton, P.V. and Bryant, J.T.
Diagnostic ultrasound artifacts during imaging of two-body interfaces: Part 2—beam thickness artifact 689 (39)
Zelenka, J., see Nosek, J. 465 (39)
Zellouf, D., see Sicard, R. 487 (39), 727 (40)
Zellouf, D., Goyette, J., Massicotte, D. and Bose, T.K.
Ultrasonic inspection of composite hydrogen reservoirs using frequency diversity techniques 203 (39)
Zhang, B., see Zhou, G. 907 (40)
Zhang, G.-M., Hou, C.-G., Wang, Y.-W. and Zhang, S.-Y.
Optimal frequency-to-bandwidth ratio of wavelet in ultrasonic non-destructive evaluation 13 (39)
Zhang, G.-M., see Cheng, L.-P. 591 (39)
Zhang, J., Hladky-Hennion, A.C., Hughes, W.J. and Newnham, R.E.
A miniature class V flextensional cymbal transducer with directional beam patterns: the double-driver 91 (39)
Zhang, Q., see Chen, Y. 667 (39)
Zhang, S.-Y., see Cheng, L.-P. 591 (39)
Zhang, S.-Y., see Zhang, G.-M. 13 (39)
Zhang, S.-Y., see Zhou, Q.-B. 377 (39)
Zhang, Y., see Zhou, G. 907 (40)
Zheng, J., see He, P. 27 (39)
Zhou, G., Zhang, Y. and Zhang, B.
The complex-mode vibration of ultrasonic vibration systems 907 (40)
Zhou, Q.-B., Lu, Y.-k. and Zhang, S.-Y.
Extraction of electromechanical coupling coefficient of piezoelectric thin films deposited on substrates 377 (39)
Zhou, T.Y., see Chen, Y. 667 (39)
Zolotoyabko, E., see Shilo, D. 921 (40)

ELSEVIER

Ultrasonics 40 (2002) 1093–1097

Ultrasonics

www.elsevier.com/locate/ultras

Subject Index to Volumes 39–40

Ablation, 1065 (40)
Absorption, 195 (39)
Acoustic bubble detection, 455 (39)
Acoustic correlation techniques, 67 (40)
Acoustic emission, 303 (40), 313 (40)
Acoustic imaging, 485 (40)
Acoustic impedance, 457 (40), 465 (40)
Acoustic intensity, 553 (39)
Acoustic microscope, 515 (39)
Acoustic microscopy, 1 (40)
Acoustic phase conjugator, 425 (39)
Acoustic plate wave devices, 943 (40)
Acoustic pressure, 579 (40)
Acoustic properties monitoring, 829 (40)
Acoustic radiation pressure, 349 (40)
Acoustic relaxation, 393 (39)
Acoustic streaming, 153 (39), 461 (39), 393 (40)
Acoustic sub-harmonics, 707 (40)
Acoustic wave fronts, 921 (40)
Acoustic waves, 703 (40)
Acoustical arrays, 503 (40)
Acoustical scattering, 121 (39)
Acoustoelasticity, 531 (40)
Acousto-optics, 967 (40)
Adhesion, 57 (39), 355 (39), 171 (40), 605 (40), 765 (40)
Adriamycin, 307 (39)
Agarose gels, 323 (40)
Air, 133 (39), 477 (40)
Airborne ultrasound, 19 (39)
Air-coupled, 479 (39), 153 (40)
Air-coupled ultrasonic transducers, 145 (40)
Air-coupled ultrasound, 181 (39), 159 (40), 507 (40)
Ambient pressure, 651 (40)
Analytical model, 115 (39)
Angle dependence, 425 (39)
Angular spectrum, 297 (40)
Angular spectrum approach, 1057 (40)
Anisotropic, 413 (39), 1025 (40)
Anisotropic crystals, 83 (40)
Anisotropic material, 525 (40)
Anisotropic media, 549 (40)
Anisotropy, 55 (40), 293 (40), 537 (40), 561 (40), 735 (40), 939 (40)
Anisotropy of ultrasounds and magnetic susceptibility, 341 (40)
Aperture effect, 641 (39)
Apodization, 311 (39)
Array thinning, 485 (40)
Atherosclerosis, 89 (40)
Atomic force microscopy, 49 (40)
Atomisation, 235 (39)
Attenuation, 27 (39), 133 (39), 367 (39), 715 (39), 823 (40)
Attenuation estimation, 525 (40)
Attenuation measurement, 77 (40), 247 (40)
Axial resolution, 695 (39)

Backscatter, 281 (40)
Bandwidth, 311 (39)
Bar, 503 (39)
Bayesian classifier, 129 (40)
Beam forming, 69 (39)
Beam thickness artifact, 689 (39)
Beamforming, 599 (40)
Beamforming systems, 485 (40)
Binaural method, 397 (40)
Binding forces, 57 (39), 605 (40)
Biogas, 31 (40)
Biological effects, 525 (39)
Birefringence, 531 (40)
Bjerknes force, 655 (40)
Blind source separation, 303 (40)
Block horns, 365 (40)
Blood clotting, 101 (40)
Blood flow, 843 (40)
Blood-mimicking fluid, 101 (40)
Bond strength, 57 (39)
Bonded joints, 205 (40)
Bonding, 171 (40)
Bone, 515 (39)
Born approximation, 121 (39), 983 (40)
Bounded beam, 549 (40)
Bounded beams, 345 (40)
Bragg-angle, 345 (40)
Brillouin scattering, 611 (39)
Bubble cluster, 655 (40)
Bubble dynamic, 525 (39)
Bubble sizing, 455 (39)
Bubble, 651 (40), 683 (40)
Bubbles, 575 (40)
Buffer rod, 81 (39)

CAD, 231 (40)
Calibration, 695 (39)
Cancellous bones, 95 (40)
Cancer therapy, 109 (39)
Capacitance, 479 (39), 477 (40)
Capacitance transducer, 181 (39), 507 (40)
Capacitive, 449 (40)
Capacitive micromachined ultrasonic transducer, 471 (40)
Cavitation, 31 (40)
Cavitation bubble, 655 (40)
Ceramic coatings, 355 (39)
Cheese, 19 (40)
Cluster, 337 (40)
Clutter, 585 (40)
cMUT, 449 (40)
Coated substrate, 939 (40)
Coating property measurements, 211 (39)
Coded excitation, 593 (40)
Coherence, 997 (40)
Coherent ultrasound imaging, 603 (39)
Cold rolled steel sheet, 335 (39)
Collective effects, 97 (39)
Combustion, 173 (39)
Compact bovine bone characterization, 567 (39)
Complex frequency, 649 (39)
Complex geometries, 177 (40)
Complex geometry components, 165 (40)
Complex media, 355 (40)
Complex rays, 293 (40)
Complex slowness, 649 (39)
Complex vibration ultrasonic welding, 361 (40)
Complex-mode vibration, 907 (40)
Composite, 525 (40)
Composite materials, 203 (39), 735 (40)
Composites, 223 (40), 555 (40), 809 (40)
Computer modelling, 385 (40)
Concrete, 429 (39), 247 (40)
Concrete NDT, 77 (40)
Condition monitoring, 223 (40)
Conductive liquid, 45 (39)
Contact acoustic nonlinearity, 621 (40), 639 (40)
Contact acoustic non-linearity, 707 (40)
Contact mechanics, 495 (39), 49 (40)
Contact resonance, 49 (40)
Contact stiffness, 49 (40)
Contact transducer, 231 (40)
Contact width, 681 (39), 689 (39)
Contra-based imaging, 437 (39)
Contrast, 575 (40)
Contrast agents, 117 (40), 567 (40), 973 (40)
Contrast microbubble, 579 (40)
Control, 257 (39)
Correlations, 435 (40)
Corrugated interface, 345 (40)
Crack, 735 (39), 187 (40), 715 (40)
Crack detection, 199 (40), 627 (40)
Cross-coupling, 139 (40), 503 (40)
Cross-hole, 269 (39)

PII: S0041-624X(02)00428-6

Crystallographic orientation distribution, 1047 (40)
C-scan, 203 (39)
Cylinder, 783 (40)
Cylindrical gap, 703 (40)
Cylindrical structures, 181 (40)
Cytotoxicity, 307 (39)

2-D-FFT, 297 (40)
3D imaging, 123 (40), 139 (40)
3D ranging systems, 19 (39)
3D stiffness constants, 555 (40)
3D ultrasound, 129 (40)
Damage, 627 (40)
Damping materials, 561 (40)
Data acquisition, 143 (39)
Deconvolution, 983 (40), 1057 (40)
Decorrelation patterns, 843 (40)
Defect selective, 159 (40), 633 (40)
Definity, 579 (40)
Degradation, 247 (40)
Degree of saturation, 651 (40)
Delamination, 193 (40)
Densimeter, 623 (39)
Density sensor, 623 (39), 413 (40)
Depth of field, 287 (40)
Desorption, 679 (40)
Diagnosis, 567 (40)
Diagnostic ultrasound, 681 (39), 689 (39)
Differential scattering cross section, 281 (40)
Diffraction, 997 (40)
Diffraction errors, 853 (40)
Diffraction tomography, 121 (39)
Diffuse, 281 (40), 435 (40)
Diffuse fields, 429 (39)
Diffusion bond, 171 (40)
Digestive tract, 263 (39)
Dipole source, 813 (40)
Direct welding of semiconductor chip, 361 (40)
Directivity pattern, 813 (40)
Dislocations, 921 (40)
Dispersion, 27 (39), 703 (40), 823 (40)
Dispersion compensation, 727 (40)
Dispersion curve, 227 (40)
Dispersion curves, 297 (39), 367 (39)
Dispersive materials, 259 (40)
Displacement, 349 (40)
Disruption, 31 (40)
Dissolved oxygen, 651 (40)
Domain integral equation, 121 (39)
Doppler, 849 (40)
Doppler bandwidth, 157 (39)
Doppler imaging, 67 (40)
Doppler methods, 157 (39)
Doppler shift, 311 (39)
Doppler spectrum, 703 (39), 835 (40)
Doppler ultrasound, 703 (39)
DORT method, 715 (40)
Dosimetery, 553 (39)
Dough, 133 (39)
Droplet, 349 (40)
Droplets, 235 (39)
Dynamic focusing, 599 (40)
Dynamic modes, 49 (40)

Effective electromechanical coupling factor k_{eff}, 735 (39)
Effective geometrical parameters, 307 (40)
Efficiency, 683 (40), 895 (40)
EFIT, 741 (40)
Elastic constants, 567 (39), 611 (39), 543 (40)
Elastic properties, 515 (39), 237 (40)
Elastic scattering, 177 (40)
Elastic tube, 703 (40)
Elastic waves, 515 (39), 435 (40)
Elasticity, 49 (40), 849 (40), 873 (40)
Elastogram, 867 (40)
Elastography, 859 (40), 867 (40), 879 (40)
Electrical equivalent circuit, 943 (40)
Electrical models, 253 (40)
Electromagnetic acoustic resonance, 211 (40)
Electromagnetic acoustic transducer, 335 (39), 491 (40)
Electromechanical coupling, 51 (39)
Electromechanical coupling coefficient, 377 (39)
Electrostatic Transducers, 407 (40)
Electrostriction, 883 (40)
Elevated temperatures, 223 (40)
Elimination, 661 (40)
EMAT, 445 (39)
EMATs, 771 (40)
Emulsification, 235 (39)
Emulsions, 329 (39)
Encapsulated microbubbles, 973 (40)
Energy balance, 31 (40)
Energy efficiency, 675 (40)
Equivalent circuit, 441 (40)
Equivalent circuit model, 595 (39)
Equivalent fluid model, 195 (39)
Existence domain of leaky waves, 927 (40)
Extrusion, 81 (39)

FAB-MS, 729 (39)
Fan-beam tomography, 507 (40)
Fatigue damage, 797 (40)
Fatigue, 427 (40), 689 (40)
FE analysis, 513 (40)
FE simulation, 43 (40)
FEA modeling, 91 (39)
FEM, 611 (40)
Femtosecond laser acoustics, 757 (40)
Ferrofluids, 337 (40), 341 (40)
Fiber optic sensors, 803 (40)
Fibre orientation, 555 (40)
Field simulation, 77 (40)
Finite amplitude, 639 (40)
Finite element analysis, 365 (40)
Finite element method, 503 (40), 883 (40)
Finite element simulation, 867 (40)
Finite thickness, 227 (40)
Finite-difference method, 721 (40)
Finite-difference time domain, 163 (39)
Flaw localization in isotropic media, 535 (39)
Flexible transducer, 243 (40)
Flextensional transducer, 91 (39)
Flextensional transducers, 441 (40)
FLOTRAN™ (ANSYS Inc.) modelling, 407 (40)
Flow, 383 (39)
Flow measurement, 383 (39), 585 (39)
Flow monitoring, 67 (40)
Flow velocity, 703 (39), 835 (40)

Focalised acoustic waves, 329 (39)
Focused acoustic sources, 497 (40)
Focused annular array, 873 (40)
Focused beams, 11 (40)
Focusing, 157 (39)
Formability, 335 (39), 1047 (40)
Formation damage, 321 (39)
Fractional-order statistics, 133 (40)
Freehand 3D ultrasound, 109 (40)
Frequency characteristics of plastic welding systems, 375 (40)
Frequency domain identification, 73 (40)
Frequency spectra of vibration systems, 375 (40)
Frequency width, 649 (39)
Frequency-to-bandwidth ratio, 13 (39)
Friction, 379 (40)

Gack detection, 1 (40)
Gas- and liquid-borne transducers, 889 (40)
Gas Flow, 407 (40)
Gas jet, 145 (40)
Generation, 419 (40)
Gold–silver alloy, 927 (40)
Grain noise, 733 (40)
Grain noise reduction, 263 (40)
Green functions, 355 (40)
Groove direction, 345 (40)
Group velocity, 407 (39)
Guided ultrasonic waves, 367 (39)
Guided wave, 503 (39)
Guided waves, 199 (40), 549 (40)
Guided wave ultrasonics, 173 (39)

Hardness distribution of welded part, 371 (40)
Harmonic, 567 (40)
Harmonic generation, 611 (40), 639 (40)
Harmonic imaging, 585 (40)
High frequency ultrasound, 497 (40)
High intensity focused ultrasound, 33 (39)
High power, 257 (39)
High power ultrasonics, 365 (40)
High temperature, 675 (39)
Higher harmonics, 575 (40), 605 (40)
Higher resonance frequency, 375 (40)
High-frequency ultrasound, 247 (40)
High-power transducers, 889 (40)
High-strength concrete, 227 (40)
Histology, 89 (40)
Hollow cylinder, 715 (40)
Holography, 1025 (40)
Homodyned k-distribution, 133 (40)
Horizontal wells, 321 (39)
Hot spots, 33 (39)
Hot water desorption, 679 (40)
Hybrid transducer, 559 (39)
Hydrogen peroxide, 661 (40)
Hydrophone calibration, 497 (40)
Hydrothermal method, 61 (40)

Ice–water interface, 927 (40)
Imaging, 235 (39), 55 (40), 159 (40), 633 (40), 921 (40), 983 (40)
Immersion technique, 473 (39)
Imperfect coupling, 231 (40)
Improved biological activity, 25 (40)

Independent component analysis, 303 (40)
Inelastic moduli, 211 (39)
Inhomogeneous, 753 (40)
Inhomogeneous waves, 561 (40)
In-plane motion, 741 (40)
Insertion-loss, 935 (40)
Instruments and methods, 143 (39)
Intensity measurements, 819 (40)
Interdigital transducers, 595 (39)
Interface, 297 (40)
Interfaces, 681 (39), 689 (39)
Interfacial friction, 43 (40)
Intermediate diffraction regime, 967 (40)
Intracranial media, 829 (40)
Intracranial pressure/volume, 829 (40)
Intravascular, 859 (40)
Intravascular ultrasound, 843 (40), 879 (40)
Intrinsic spectral broadening, 157 (39)
Inverse property reconstruction, 211 (39)
Inverse scattering, 983 (40)

30 kHz, 667 (40)

Lamb wave, 335 (39), 193 (40), 199 (40), 491 (40)
Lamb waves, 269 (39), 283 (39), 487 (39), 535 (39), 187 (40), 715 (40), 727 (40), 777 (40), 1025 (40)
Langevin transducer, 513 (40)
Lankford value, 335 (39)
Laser acoustics, 617 (40)
Laser based ultrasonics, 757 (40)
Laser-based ultrasound, 535 (39)
Laser detection, 741 (40)
Laser drilling, 791 (40)
Laser ultrasonics, 345 (39), 355 (39), 543 (39), 735 (40), 753 (40), 765 (40), 783 (40), 1025 (40), 1057 (40), 1065 (40)
Laser-ultrasonics, 543 (40), 1047 (40)
Laser ultrasound, 771 (40), 797 (40), 809 (40)
Laser-ultrasound, 777 (40)
Lateral resolution, 695 (39)
Layered resonators, 385 (40)
Lead phthalocyanine, 227 (39)
Leaky Lamb Wave, 649 (39)
Leaky Lamb waves, 297 (39)
Leaky Rayleigh wave, 611 (40)
Lesion detection, 585 (40)
Light ellipticity, 967 (40)
Light modulators, 967 (40)
Line spread function, 843 (40)
Linear arrays, 287 (40)
Linear sweep, 101 (39)
Lipids, 973 (40)
Liquid density measurements, 623 (39)
Liquid–solid interface, 927 (40)
Liquids, 393 (39)
Lithium niobate, 45 (39)
Longitudinal velocity, 567 (39)
Longitudinal–torsional vibration converter, 361 (40)
Low frequency, 913 (40)
Lumped element, 559 (39)
LV long axis, 949 (40)
LV shape and functional analysis, 949 (40)

Macrosonics, 889 (40)
Magnetostriction, 491 (40)
Magnetostrictive transducer, 503 (39)
Manufacturing and maturity, 19 (40)
Mass spring lattice model, 543 (39)
Matching layers, 457 (40), 465 (40)
Material characterisation, 735 (40)
Material characterization, 515 (39), 217 (40)
Materials characterization, 429 (39)
Mathematical morphology, 291 (39)
Maximum a-posteriori method, 631 (39)
Mechanical quality factor Q_m, 735 (39)
Mechanical stress, 735 (39)
Medical, 567 (40)
Medical imaging, 471 (40), 585 (40)
Medical transducers, 819 (40)
Medical ultrasound transducer, 461 (39)
Melting, 173 (39)
MEMS inspection, 757 (40)
Metal oxidation, 173 (39)
Metals flammability, 173 (39)
Metrology, 479 (39)
MHz range, 323 (40)
Micro manipulation, 317 (40)
Microbubble theory, 579 (40)
Microfabricated, 449 (40)
Micromachining, 441 (40), 477 (40)
Micromechanics, 217 (40)
Microstructure, 281 (40), 627 (40)
Microwaves, 419 (40)
Miniaturization, 591 (39)
Minimisation, 291 (39)
Mixing, 393 (40)
Mobile robots, 397 (40)
Modal analysis, 365 (40)
Modal decomposition method, 187 (40)
Mode shapes, 367 (39)
Modeling, 231 (40)
Modelling, 95 (40), 823 (40), 835 (40)
Modulation, 627 (40)
Monopole, 813 (40)
Motor, 379 (40)
Mucosa, 263 (39)
Mud-invasion depth, 321 (39)
Multi-domain, 177 (40)
Multi-layer slab, 227 (40)
Multilayer, 753 (40)
Multilayer transducers, 913 (40)
Multilayered ceramics, 903 (40)
Multilayered composite plates, 283 (39)
Multiphase flow, 585 (39)
Multiphonon interactions, 697 (40)
Multiple reflections, 193 (40)
Multiple scattering, 269 (40), 275 (40)
Muscle, 263 (39)

Nanoindentation, 49 (40)
Nanoporous aerogels, 237 (40)
NDE, 171 (40)
NDE/NDT, 153 (40)
NDT, 187 (40), 231 (40), 263 (40)
Neurosurgery, 33 (39)
Ni-base single crystal superalloy, 211 (40)
Nitrate, 661 (40)
Nitrite, 661 (40)
Noble gas, 643 (40)
Noise robustness, 291 (39)

Noise, 435 (40)
Noncoherent detection, 733 (40)
Non-contact detection, 803 (40)
Non-contact monitoring, 771 (40)
Non-contact ultrasound, 445 (39)
Non-destructive, 1 (40)
Non-destructive evaluation, 321 (39), 503 (39)
Nondestructive evaluation, 345 (39), 419 (40), 639 (40), 715 (40), 783 (40)
Nondestructive inspection, 491 (40)
Nondestructive testing, 57 (39), 543 (39)
Non-destructive testing, 721 (40)
Nondestructive ultrasonic testing, 473 (39)
Nondiffracting beams, 287 (40)
Nonlinear acoustics, 617 (40), 873 (40)
Non-linear behavior, 437 (39)
Non-linear effects, 253 (40)
Nonlinear material qualities, 11 (40)
Nonlinear model equations, 11 (40)
Nonlinear piezoelectric, 425 (39)
Nonlinear propagation, 575 (40)
Nonlinear scattering, 697 (40)
Nonlinear ultrasonics, 57 (39), 611 (40)
Nonlinear ultrasound, 11 (40), 605 (40), 639 (40)
Non-linear ultrasound, 159 (40)
Non-linearity, 159 (40), 633 (40)
Nonlinearity, 627 (40)
Nonlinearity hysteresis, 697 (40)
Nozzle, 235 (39)
Numerical analysis, 193 (40)
Numerical simulation, 163 (39)
Numerical simulations, 605 (40)

Ogive nozzle, 145 (40)
On-line sensor, 623 (39), 413 (40)
Optodynamics, 791 (40)
Organic pollutants, 661 (40)
Orthotropic stiffness tensor, 567 (39)
Ovarian carcinoma, 307 (39)
Oxidation of fullerene [C_{70}], 729 (39)
Oxide coatings, 765 (40)

Packaging of electronic parts, 361 (40)
PAFMUT, 441 (40)
PAH/phenanthrene degradation, 667 (40)
Paper, 617 (39)
Parallel computing, 163 (39)
Paramecium, 525 (39)
Parameter estimation, 73 (40)
Parameter optimization, 13 (39)
Parametric acoustic arrays, 11 (40)
Parametric instability, 621 (40), 707 (40)
Parametric modulation, 689 (40)
Parametric, 329 (40)
Particle image velocimetry, 153 (39), 461 (39)
Performance testing, 585 (40)
Performances estimation, 115 (39)
Phantom, 849 (40)
Phase aberration correction, 603 (39)
Phase conjugation, 275 (40), 329 (40)
Phase function, 281 (40)
Phase velocity, 27 (39), 407 (39), 617 (39)
Phase velocity dispersion, 83 (40)
Phased array techniques, 165 (40), 243 (40)
Phased arrays, 109 (39)

Phonon focusing, 55 (40)
Phonons, 435 (40)
Phospholipids, 973 (40)
Photoacoustic spectroscopy, 809 (40)
Photoacoustics, 757 (40)
Photo-emf sensor, 777 (40)
Photorefractive, 1025 (40)
Physical acoustics, 313 (40)
Picosecond, 753 (40)
Piezocomposite, 139 (40)
Piezocomposite transducer, 163 (39)
Piezoelectric, 675 (39), 349 (40), 379 (40)
Piezoelectrics, 1 (39), 7 (39)
Piezoelectric actuation, 441 (40)
Piezoelectric composite, 895 (40)
Piezoelectric excitation, 181 (40)
Piezoelectric thin film, 377 (39)
Pipeline flow, 455 (39)
Plaque, 859 (40)
Plastic strain ratio, 1047 (40)
Plate acoustic waves, 51 (39)
Plate theory, 441 (40)
Plate waves, 617 (39)
PMN ceramics, 883 (40)
pMUT, 441 (40)
Polymer, 81 (39)
Polymeric liquid, 703 (40)
Polymeric resins, 679 (40)
Porosity, 355 (39), 217 (40), 237 (40)
Porous material, 195 (39)
Porous silica, 237 (40)
Potassium niobate, 51 (39)
Power, 329 (40)
Power spectral equalization, 631 (39)
Power transducers, 903 (40)
Pre-stressing, 1 (39), 7 (39)
Probe system, 667 (40)
Process control, 623 (39), 413 (40)
Process water treatment, 25 (40)
Pseudospectral, 177 (40)
PSpice, 449 (40)
Pulse acoustic microscopy, 531 (40)
Pulsed Doppler, 311 (39)
Pulsed ultrasound, 683 (40)
Pulse-echo, 253 (40)
Pulse-echo technique, 173 (39)
Pulse-echo ultrasound, 37 (40)
Pump–probe measurement, 757 (40)
Pump–probe technique, 747 (40)
PVDF membrane hydrophone, 641 (39)
PW Doppler, 703 (39), 835 (40)
PZT ceramics, 425 (39)
PZT thin film, 61 (40)
PZT vibrator, 735 (39)

Quadratic hysteretic nonlinearity, 697 (40)
Quality, 329 (40)
Quantison™, 579 (40)
Quartz particles, 661 (40)
Quartz strip resonator, 465 (39)
Quasi-frequency diversity, 203 (39)
Quenching, 655 (40)

Radial compression, 867 (40)
Radiated fields, 163 (39)
Radiation beam, 519 (40)
Radical formation, 675 (40)
Radical scavengers, 675 (40)
Rafted structure, 211 (40)
Random media, 77 (40), 1009 (40)
Ray tracing, 269 (39), 1009 (40)
Rayleigh wave, 611 (40)
Rayleigh waves, 617 (40), 927 (40)
Rayleigh wave equation, 223 (39)
Rays, 293 (40)
Reaction calorimetry, 675 (40)
Reciprocity, 403 (40)
Reconstruction filter, 641 (39)
Recursive, 413 (39)
Reduction, 379 (40)
Reflectance, 753 (40)
Reflection coefficient, 495 (39)
Reflection coefficients, 623 (39), 413 (40)
Regression rate of a melting interface, 173 (39)
Remote sensing, 101 (39)
Residual stresses, 531 (40)
Resolution, 983 (40)
Resonance frequencies, 377 (39)
Resonance locking, 257 (39)
Resonant ultrasonic spectroscopy, 211 (40)
Reverberation technique, 797 (40)
RMS height, 101 (39)
Robotic surgery, 33 (39)
Root locus, 223 (39)
Rotary motor, 591 (39)
Rough surface, 101 (39)
Rough surfaces, 495 (39)

SAFT, 487 (39)
Sagnac interferometer, 803 (40)
SAM, 67 (40)
SAW transducer, 935 (40)
Scanning laser source, 1 (40)
Scanning laser source technique, 543 (39)
Scanning laser vibrometry, 633 (40)
Scanning probe method, 747 (40)
Scattered field, 721 (40)
Scattering cross-section, 579 (40)
Scattering matrix, 935 (40)
Scattering, 429 (39), 585 (39), 199 (40)
Segmented ring, 123 (40)
Seismology, 269 (40)
Selective sampling, 599 (40)
Sensor, 227 (39)
Shear horizontal plate acoustic waves, 45 (39)
Shear horizontal plate wave, 335 (39)
Shear-horizontal wave resonator, 943 (40)
Shear wave, 849 (40)
Shear wave velocity measurement, 623 (39)
Short waves, 95 (40)
Signal processing, 181 (39), 203 (39), 259 (40), 397 (40), 733 (40)
Signal regeneration, 487 (39), 727 (40)
Silicon, 515 (39), 83 (40)
Simulation, 181 (40), 403 (40), 519 (40), 741 (40)
Simulation of wave propagation, 747 (40)
Simultaneous detection, 791 (40)
SIRT, 269 (39)
Slowness interface curves, 561 (40)
Slowness surfaces, 537 (40)
Sludge, 31 (40)
Slurry density measurements, 623 (39)
SNR enhancement, 259 (40)
Sodium emission, 97 (39)
Soft solid forming, 43 (40)
Sol–gel, 675 (39)
Solid horn, 907 (40)
Solid/liquid interface, 173 (39)
Solidification, 173 (39)
Sonic attenuation, 393 (39)
Sonication, 235 (39)
Sonochemistry, 675 (40), 683 (40)
Sonography, 973 (40)
Sonoluminescence, 97 (39), 643 (40), 651 (40), 655 (40), 683 (40)
Sonolysis, 661 (40)
Sound projector, 91 (39)
Sound velocity, 393 (39)
Spatial averaging, 631 (39), 497 (40)
Spatial impulse response, 307 (40), 823 (40)
Spatial resolution, 641 (39)
Speckle, 133 (40), 983 (40)
Speckle detection, 129 (40)
Spectral analysis of surface wave, 227 (40)
Spectral width, 703 (39)
Spectrogram, 291 (39)
Specular echo, 291 (39)
SPICE, 403 (40)
SPICE model, 595 (39)
Split spectrum processing, 291 (39), 733 (40)
Spring model, 495 (39)
Standing wave, 655 (40)
Stationary phase, 549 (40)
Statistical estimation and simulation, 603 (39)
Stiffness matrix, 413 (39)
Stochastic optimization, 485 (40)
Storage effects, 707 (40)
Strain, 859 (40)
Strain concentration, 867 (40)
Strain decay, 867 (40)
Strand, 503 (39)
Stress, 859 (40)
Structural pattern classification, 129 (40)
Structural wave propagation, 721 (40)
Styrene–butadiene rubber–natural rubber blends, 473 (39)
Subharmonics, 621 (40)
Subsonic leaky waves, 927 (40)
Super harmonics, 575 (40)
Superconductor, 313 (40)
Surface acoustic wave, 227 (39), 591 (39)
Surface acoustic waves, 345 (39), 595 (39), 55 (40), 83 (40), 237 (40), 617 (40), 783 (40), 921 (40), 939 (40)
Surface leaky waves, 73 (40)
Surface profile measurement, 61 (40)
Surface roughness, 83 (40)
Surface waves, 345 (40)
Surface-breaking cracks, 543 (39)
Surgical probe, 813 (40)
Suspension characterization 623 (39), 413 (40)
Suspensions, 715 (39)
Synthetic aperture focusing technique, 1057 (40)
Synthetic aperture, 593 (40)

Temperature, 543 (40), 879 (40)
Temperature gradients, 38[illegible] (39)

Temperature sensor, 465 (39)
n-Tetradecane in water emulsions, 37 (40)
Texture, 1047 (40)
Thermal characteristic length, 195 (39)
Thermal modeling, 895 (40)
Thermal, 435 (40)
Thermo-acoustic detection, 427 (40)
Thermoacoustics, 11 (40)
Thermoelastic interactions, 355 (39)
Thermoelastic line source, 345 (39)
Thermography, 427 (40)
Thickness gauging, 445 (39)
Thickness monitoring, 777 (40)
Thickness, 1047 (40)
Thin film, 1 (40)
Thin film metrology, 757 (40)
Thin plates, 535 (39)
Thin sheet, 491 (40)
Three-dimensional pulse inversion harmonic imaging, 117 (40)
Three-dimensional ultrasound, 471 (40)
Three-dimensional ultrasound imaging, 117 (40)
Time delay spectrometry, 101 (39)
Time resolution, 639 (40)
Time reversal, 275 (40)
Time reverse numerical simulation, 721 (40)
Time–frequency representations, 535 (39)
Time-of-flight method, 829 (40)
Tissue ablation, 33 (39)
Tissue characterization, 89 (40), 859 (40)
Tissue, 849 (40)
Titanium alloy, 427 (40)
Tomography, 269 (39)
Torsional vibration, 559 (39)
Tortuosity, 195 (39)
Touch probe sensor, 61 (40)
Transducer, 479 (39), 307 (40), 477 (40), 519 (40), 907 (40)
Transducer coupling function, 77 (40)
Transducers, 1 (39), 7 (39), 257 (39), 297 (39), 449 (40), 883 (40)
Trans-esophageal echocardiogram, 949 (40)
Transfer function, 457 (40), 465 (40)
Transient plate mode, 649 (39)
Transit time, 157 (39), 1009 (40)
Transmission, 195 (39)
Transmission line, 559 (39)
Transversal velocity, 567 (39)
Triangulation, 69 (39)
Triple-transit-echo, 935 (40)
Tube, 407 (39)
Turbulent flow, 1009 (40)
Two-dimensional array, 139 (40)
Two-dimensional arrays, 123 (40)
Two-dimensional ultrasound array, 471 (40)

Ultraharmonics, 437 (39)
Ultrasonic, 257 (39), 349 (40), 379 (40), 449 (40)
Ultrasonic absorption, 473 (39), 797 (40)
Ultrasonic airborne transducers, 457 (40), 465 (40)
Ultrasonic array, 519 (40)
Ultrasonic arrays, 69 (39)
Ultrasonication, 729 (39)
Ultrasonic beam pattern, 139 (40)
Ultrasonic butt welding, 371 (40)
Ultrasonic detection, 291 (39)
Ultrasonic field, 641 (39), 297 (40)
Ultrasonic field reconstruction, 631 (39)
Ultrasonic flow meter, 403 (40)
Ultrasonic flowmeter, 1009 (40)
Ultrasonic Gas Flow Measurement, 407 (40)
Ultrasonic imaging, 203 (39), 599 (40)
Ultrasonic mapping, 321 (39)
Ultrasonic measurement, 81 (39)
Ultrasonic measurements, 211 (39), 617 (39), 101 (40), 397 (40), 853 (40)
Ultrasonic motor, 115 (39), 559 (39), 591 (39)
Ultrasonic NDE, 73 (40), 253 (40), 733 (40)
Ultrasonic NDE/NDT, 259 (40)
Ultrasonic NDT, 171 (40)
Ultrasonic non-destructive evaluation, 13 (39)
Ultrasonic nondestructive evaluation, 689 (40)
Ultrasonic plastic welding, 375 (40)
Ultrasonic power, 819 (40)
Ultrasonic pulse velocity, 247 (40)
Ultrasonic pulse-echo method, 101 (40), 853 (40)
Ultrasonic refractive index, 195 (39)
Ultrasonic resonant cell, 715 (39)
Ultrasonic scanning, 495 (39)
Ultrasonic sensor, 623 (39)
Ultrasonic separation, 385 (40)
Ultrasonic simulation, 829 (40)
Ultrasonic sonar, 397 (40)
Ultrasonic spectrometry, 393 (39)
Ultrasonic spectroscopy, 211 (39), 171 (40), 1047 (40)
Ultrasonic standing wave, 317 (40)
Ultrasonic system, 31 (40)
Ultrasonic testing, 203 (39), 205 (40)
Ultrasonic transducer, 895 (40)
Ultrasonic transducers, 675 (39)
Ultrasonic velocity, 329 (39)
Ultrasonic velocity measurements, 611 (39)
Ultrasonic wave focussing, 747 (40)
Ultrasonic wave properties, 323 (40)
Ultrasonic waves, 791 (40), 803 (40)
Ultrasonic welding, 361 (40), 371 (40)
Ultrasonics wire bonding, 361 (40)
Ultrasonics, 1 (40), 19 (40), 43 (40), 427 (40), 555 (40)
Ultrasound contrast agent, 437 (39)
Ultrasound imaging, 593 (40)
Ultrasound intensity, 153 (39)
Ultrasound propagation, 383 (39), 337 (40)
Ultrasound propagation speed, 263 (39)
Ultrasound stimulated biodegradation, 25 (40)
Ultrasound surgery, 109 (39)
Ultrasound transducers, 441 (40)
Ultrasound velocity, 101 (40), 217 (40), 853 (40)
Ultrasound velocity dispersion, 37 (40)
Ultrasound, 1 (39), 27 (39), 133 (39), 195 (39), 235 (39), 307 (39), 407 (39), 429 (39), 525 (39), 553 (39), 567 (39), 585 (39), 695 (39), 49 (40), 89 (40), 95 (40), 153 (40), 263 (40), 393 (40), 419 (40), 567 (40), 585 (40), 651 (40), 675 (40), 679 (40), 859 (40), 913 (40), 973 (40), 983 (40), 997 (40)
Ultrasound-assisted bioreactor, 25 (40)
Ultrasounds, 143 (39)
Underwater sound, 91 (39)
Underwater transducer, 91 (39)
Unidirectional transducer, 935 (40)
Urick's theory, 323 (40)
UT field modeling, 165 (40), 243 (40)

Various oxidants, 729 (39)
Vector Doppler, 157 (39)
Velocity, 133 (39), 715 (39), 1009 (40)
Velocity estimation, 525 (40)
Velocity of sound measurement, 413 (40)
Vibration mode, 211 (40)
Vibration system, 907 (40)
Vibro-acoustography, 873 (40)
Viscoelasticity, 543 (40)
Viscometer, 623 (39)
Viscosity measurement, 623 (39)
Viscous characteristic length, 195 (39)
Viscous liquid, 45 (39)
Visualisation, 109 (40)
Volume measurement, 109 (40)
Volume rendering, 109 (40)
Vulnerable, 859 (40)

Wall motion, 949 (40)
Wall thickness, 407 (39)
Water, 133 (39)
Water vapor, 643 (40)
Wave front reversal, 697 (40)
Wave interaction, 627 (40)
Wave motion, 741 (40)
Wave propagation in tips, 747 (40)
Wave propagation, 413 (39), 355 (40)
Waveguide, 145 (40)
Wavelength resonance, 681 (39)
Wavelet transform, 13 (39), 263 (40)
Waves, 181 (40)
Wedge, 519 (40)
Welding characteristics by fundamental and higher frequencies, 375 (40)
Welding of aluminum and stainless steel, 371 (40)
Welding of stainless steel specimens, 371 (40)
Wide-band arrays, 485 (40)
Wiener filter, 631 (39)
Wood, 537 (40)

X-rays, 921 (39)